

compose.kerala.gov.in
egazette.kerala.gov.in
printing.kerala.gov.in



Regn.No. KERBIL/2012/45073
dated 2012-09-05 with RNI
Reg No.KL/TV(N)/634/2021-2023

കേരള സർക്കാർ
GOVERNMENT OF KERALA

കേരള ഗസറ്റ് KERALA GAZETTE

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്
PUBLISHED BY AUTHORITY

ചൊവ്വ, 2021 ഡിസംബർ 14

Tuesday, 14th December 2021

1197 വൃശ്ചികം 29

29th Vrischikam 1197

വാല്യം 10
Vol. X

1943 അഗ്രഹായനം 23

23rd Agrahayana 1943

നമ്പർ } 49
No. }

Part III

Store Purchase

©

കേരള സർക്കാർ

GOVERNMENT OF KERALA

2021



Agriculture Development & Farmers' Welfare Department

No. CC (2) 245/2021

Dated: 09.12.2021

Notice inviting Re -E Tender for the Procurement of

Atomic Absorption Spectrophotometer (Flame Only)

Re- E-Tenders in Two cover systems are invited online tender bids from competent Manufacturers or their distributors/ dealers for the “**Supply of Atomic Absorption Spectrophotometer (Flame Only).**” at Central Soil and Plant Health Centre, Parottukonam, Thiruvananthapuram. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is a Re-E-tender, only those bidders who have enrolled in the above portal with their own digital signature certificate (DSC) can participate in the tender. Re-E-Tender document and other details can be obtained from the above e-portal. The bidders should be able to supply all the items of the Re-E-tender for which he has participated.

| | |
|--|---|
| Tender id | : 2021_AGRI_453961_2 |
| Tender No. with PAC | : CC (2) 245/21/e-TEND-2/2021-22/SN |
| | Rs.17.00 Lakhs |
| Document sale start date | : 09.12.2021 |
| Document sale end date | : 18.12.2021 |
| Bid Submission start date | : 09.12.2021 |
| Last date & time of receipt of Re-E-Tender | : 20.12.2021 – 10.00 AM |
| Date & Time of opening of Re-E-Tender | : 23.12.2021 -12.00 Noon |
| Cost of Re-E-Tender (online submission) | : Rs. 2600+18% GST |
| Date up to which the rates are to remain firm for acceptance | : 31.03.2022. |
| E.M.D. | : 1 % of PAC through online payment. |
| Security Deposit | : 5 % of total contract amount inclusive of E.M.D. |
| Period of Supply | : Within 30 days of receipt of supply order |

Central Soil and Plant Health Centre
Parottukonam, Thiruvananthapuram – 695015
Phone: 0471 - 2530578,
Email: chiefsoilchemist@gmail.com

sd/-
Chief Soil Chemist



**Agriculture Development and Farmers'
Welfare Department**

NOTICE INVITING TENDER

[Tender ID:2021_AGRI_454761_1]

No. EE(2)10/2021.

19th November 2021.

Notice inviting e-tender for the supply, installation and commissioning of Pump sets with Prime mover for Kuttadanpadam Padasekharam in Thrissur District.

On behalf of Government of Kerala e-tender in two cover system is invited from manufactures/distributors/dealers/firms for the Supply of Pumpsets with the following specification for Kuttadan Padam Padasekharam in Thrissur District.

| <i>Sl. No.</i> | <i>Description of item</i> | <i>Quantity Required</i> |
|--------------------|--------------------------------|------------------------------|
| (1) | (2) | (3) |

- 1 Supply, installation, testing and commissioning of centrifugal mono block pump sets, with following duty criteria, coupled with suitable electric motor TEFC, fitted on an common base frame, with necessary fittings and couplings. The material of construction of impeller shall be Cast Iron/Carbon Steel /Bronze, and that of pump body is Cast Iron Alloy, pump shaft shall be carbon steel.

Panel board with suitable starter for Monoblock/close coupled pump, voltmeter, ammeter, MCCB, ELCB, Single phase preventer, dry run preventer etc. Electrical connections earthing and panel board are as per the KSEB/ Electrical Inspectorate norms. The length of suction pipe is approximately 6m with flexible hose, and a delivery pipe shall be approximately 9m length with flexible hose, both 150 mm or nearest size. The end of suction pipe be fitted with CI foot valve, and an additional strainer mesh 50 mm x 50 mm size at about 30 cm away from footvalve. All accessories fittings such as bend, priming arrangements hose collar hose clips etc., should be included.

A pump shelter with FRP/GRP portable cabin, corrosion resistant, size suitable with the foot area of the pump and accessories quoted (2m X 2m), 10 ft height with one door and two ventilators and without floor. A pump foundation of size suitable for the weight of pump quoted has to be provided in Cement Concrete 1:3:6 or richer mix.

The quote should be inclusive of all petty civil works, Electrical Connections etc. Drawings and connected papers should be submitted for obtaining electrical connections from EB duly signed by a Registered Electrical Wieman, Supervisor and Contractor.

The rate quoted should be inclusive of all the charges for supply, installation including petty civil works, trial run and commissioning, all type of transport and conveyance, loading and unloading charges, GST etc.



| (1) | (2) | (3) |
|-----|---|---------|
| a | Approximate duty point head 5 m, Minimum Discharge at Duty Point Head: 65 lps; Power Allocation 7.5 hp | 44 Nos. |
| b | Approximate duty point head 6 m, Minimum Discharge at Duty Point Head: 70 lps; Power Allocation 10 hp | 48 Nos. |

In accordance with respective specification as shown in the tender documents, the tender is to be submitted as e-tenders through etenders.kerala.gov.in. Since this is an online process only those bidders who have enrolled in the above portal with their on Digital Certificate (DSC) can participate in the tender. E-tender document and other details will be obtained from the above portal. Bidders are also requested to send hard copies of documents, such as preliminary agreement, Product specification, Brochure. Test report etc., before the date and time fixed of opening technical bid to Office of the Executive Engineer (Agri.) Office, Northern Region, Kozhikode.

PAC—3,28,00,000.

Document sale start date—19-11-2021, 6 p. m.

Bid Submission start date —19-11-2021, 6 p. m.

Document sale end date—13-12-2021, 1 p. m.

Last date and time of receipt of e-tender—13-12-2021, 1 p. m.

Last date and time of opening of technical bid—15-12-2021, 2 p. m.

Tender Fee (online Payment)—₹ 25,000 (GST ₹ 4,500 is to be remitted directly by the bidder and receipt attach with tender Documents).

EMD (online Payment)—₹ 3,28,900.

Date upto which the rate are to remain firm for acceptance—90 days.

Period of supply—60 days from the date of supply order.

Tenders will be opened online in the presence of such bidders or their authorized representatives who have logged in at the prescribed time of opening. If the date fixed for opening happens to be a holiday the tenders will opened in the next working day at the same time.

Scanned copy of the Preliminary Agreement in the prescribed format in Kerala Stamp Paper worth ₹ 200 should be submitted online and original to the undersigned before the opening of e-tender. The rate should be quoted in Indian Currency only.

The rules and regulations prescribed for e-tenders by the Govt. of Kerala shall be applicable to this e-tender also.



Special Conditions

- The basic rate quoted should be inclusive of all charges for supply, installation, trial run, commissioning, transportation, handling, all taxes etc. but excluding GST. GST has to be quoted separately in GST Column. The firm has to supply the items at the location specified as per direction from the undersigned/Assistant Executive Engineer (Agri.), Thrissur.
- The Bidder should specify the make and model of pumpset and motor, its KW/HP Performance, Curve, Test Report, Leaf let, Brocher etc.
- The Bidder should submit authorized dealership/Distribution ship certificate from Manufacturer.
- The supplier should confirm the repair and service facilities, availability of spare parts etc. of the items supplied by them for a period of 10 years.
- The Executive Engineer (Agri.) Kozhikode reserves the right to award partial quantity of supply or distribute the supply to different suppliers as per recommendation of the technical committee constituted for the purpose.
- The successful tender will have to execute an agreement in Stamp Paper worth ₹ 200 in prescribed form and manner and also to furnish the required security amount within 14 days of the receipt of the selection notice.
- The payment shall be released only after satisfying the quantity, quality, specifications of the items supplied and success of the trial run and commissioning of the item supplied.
- Tenders, incomplete in, any respect will be summarily rejected and the decision of the undersigned on such matters will be final.
- Selected firm/manufacturer should undertake petty construction works if any required for the successful installation of the pumping unit at no additional cost.
- All annexure should be duly filled and uploaded with the tender.
- Bidders are requested to inspect the site before quoting.

Office of the Executive Engineer
(Agri.), Puthiyara Post,
Kozhikode.

(Sd.)
Executive Engineer (Agri.)



Kerala Fire and Rescue Services Department**e-TENDER NOTICE**

No. FIREHQ/8108/2021-CD1.

20th November 2021.

e-Tenders in two cover system are invited from competent manufacturers or their authorised dealers with adequate stock and repair capabilities for the supply of 17 Nos. of Walkie Talkie as per the specifications of this department. The tender is to be submitted as e-tenders through <https://etenders.kerala.gov.in>. Since this is an e-tender, only those bidders who have enrolled in the above portal with their own Digital Signature Certificate (DSC) can participate in the tender.

e-Tender document and other details can be obtained from the above e-portal.

The tender has two parts:

1. *Technical bid.*
2. *Financial bid (BOQ).*

Tender No. with PAC—KFRS-E-Tender No. 02/2021-22/SN—₹ 7.735 Lakhs.

Closing date of e-tender—22-12-2021, 4 p. m.

Date and time of pre bid meeting—2-12-2021, 2 p. m.

Last date and time of receipt of e-tender—22-12-2021, 4 p. m.

Date and time of Sample/Documents/Presentations Verification—28-12-2021, 2.30 p.m.

Date & time of opening of e-Tender:

1. Technical bid—28-12-2021, 11 a.m.
2. Financial bid—29-12-2021, 11 a. m. (The date may change depending on the completion of technical evaluation)

Cost of e-Tender (online submission)—₹ 1,500+ GST @ 18% (GST shall be paid by the bidder through GST payment methods in reverse charge basis.)

Date upto which the rates are to remain firm for acceptance—31-3-2023.

EMD—1% of PAC in online payment.

Security Deposit—5% of total contract amount. (To be furnished as bank guarantee of a Nationalised or Scheduled Commercial Bank by the successful bidder.)

Period of supply—Within 45 days from the date of supply order.

The bidder desiring to take part in the bid shall log into <https://etenders.kerala.gov.in> and then select tender and make the payment. Bidders will be directed to the payment gateway page of the State Bank of India. There are two options—State Bank of India Net Banking payment, payment through MOPS from other banks to the payment gateway of SBI.

For obtaining Digital Signature Certificate (DSC) and necessary portal enrolment bidders can visit the website <https://etenders.kerala.gov.in>.

Tenders will be opened online in the presence of such tenderers or their authorized representatives who have logged in before the prescribed time of opening of technical & financial bids. If the date fixed for opening happens to be a holiday/due to internet failure, the tenders will be opened in the next working day, at the same time.



The tenderer, or his representative, shall be physically present at the Fire and Rescue Services Headquarters on the date prescribed, with the necessary documents and presentations on all the technical aspects of the equipment and accessories for the total understanding and verification of the technical committee.

The price of the e-tender form shall be received only through online payment SBI/SBI MOPS.

The cost should be quoted in Indian Currency only.

The tender has two covers:

- Technical cover
- Financial cover

The first cover i.e: the technical cover shall be uploaded with the following documents:

1. Scanned copy of Departmental Technical specification of the product intended to supply duly signed and stamped by the bidder.

The Bidder should sign, stamp and upload the Departmental Technical Specification as such, along with the tender. Uploading the duly signed and stamped Departmental Technical Specification will be treated as the applicant is ready to supply the product as per the Departmental Technical Specification without any deviation.

In case of any deviation from the Departmental Technical Specification, the bidder shall fill and upload specification compliance statement in the following proforma, clearly marking the details of deviation. The committee will check the admissibility of the deviation mentioned by the bidder and the tender will be admitted only if the deviation proposed by the bidder is acceptable for the Departmental Technical Committee. Deviations, if any, shall be strictly marked in the Specification Compliance Statement itself. If the applicant uploaded the Specification Compliance Statement and no marking is made in the column provided for marking deviation in the statement, it will be treated as the applicant is ready to supply the product as per the Departmental Technical Specification without any deviation.

Specification Compliance Statement for Walkie Talkie

| <i>Sl. No.</i> | <i>Detail of Departmental Technical Specification</i> | <i>Detail of the product offered</i> | <i>Deviation from Departmental Technical Specification, if any</i> |
|----------------|---|--------------------------------------|--|
| | | | |
| | | | |

2. Scanned copy of the agreement in the prescribed format in Kerala Stamp Paper worth ₹ 200.
3. Brochure of the product intended to supply.
4. Work Experience Certificate, OEM Authorisation Letter and other relevant details. (as per the requirements)
5. Scanned copies of the declaration by the bidder on Kerala Stamp Paper worth ₹ 200 to the effect that no Vigilance Case has been charge sheeted and pending trial at Court against him/his partner/s or any of his directors in connection with fabrication/supply of similar product made earlier to this Department.



I, (Name, Address, Firm) do hereby declare that no Vigilance Case have been charge sheeted and pending trial at Court against me, any of my partner/s or any of my directors, in connection with fabrication/supply of similar product made earlier to Kerala Fire and Rescue Services Department/Government of Kerala and none of us or our firm is blacklisted by any Government agencies/PSUs in Kerala.

6. Paid Receipt of the GST of Tender Fee. (GST shall be paid by the bidder through GST payment methods in reverse charge basis)

Pre bid meeting

A pre bid meeting will be held at Fire and Rescue Services Headquarters, Thiruvananthapuram on the date and time as mentioned above. Bidders can participate in the pre bid meeting and clarify their doubts, if any. They can clarify their doubts by sending an e-Mail to hq.frs@kerala.gov.in and by contacting The Director (Technical), Fire and Rescue Services Hqrs, Thiruvananthapuram in phone number 09497920101.

Tender opening and evaluation

(a) Soon after the opening of the tender, the tenderers are requested to come to the Fire and Rescue Services Headquarters with documents and presentations on all the technical aspects of the equipment and accessories for the full understanding of the Head Office Purchase Committee (Technical), on the date specified.

(b) Sample of Walkie Talkie should be produced before the Committee for Technical Evaluation, which would be subjected to test by the departmental personnel. Technical expert of Bidder should be available for explaining all the aspects of the item.

(c) There will not be any further communications about the opening of the technical and financial bids separately. Soon on opening the technical bid of e-tenders, the committee constituted to evaluate the technical aspects, will meet and scrutinize the technical specification of equipment submitted with the e-tender.

(d) Technical expert of Bidder should be available for explaining all the aspects of the item, during the time of presentation and evaluation.

(e) During evaluation, the tenders will be first evaluated for the compliance of Departmental Technical Specification. Only those tenders which comply the Departmental Technical Specifications will be considered for subsequent financial evaluation.

(f) The financial bid belonging to those dealers/suppliers who qualified in the technical bid of the equipment as required above by Kerala Fire & Rescue Services Department alone will be considered.

(g) On finalization of technical evaluation, the second cover i.e., the financial bid of the concerned competent firm will be evaluated by the Head Office Committee (Finance) for consideration.

The bidder should upload the supporting documents along with the Technical cover.



(h) The originals of all the required documents like Technical specification compliance statement of the product, agreement in Stamp Paper worth ₹ 200, the declaration on Kerala Stamp Paper worth ₹ 200 and Brouchers/Photograph of the item intended to supply, OEM Authorisation Letter and other documents shall be produced before the undersigned soon after the Financial Bid opening.

(i) After opening the financial bid, financial evaluation will be done and the details will be uploaded in the financial evaluation field of the e-tender site, only after consultation with the DPC. The decision of the DPC shall be final on the admissibility of the tender and thereafter awarding of the contract.

(j) The right of acceptance or rejection of e-tender or cancelling the tender without assigning any reason, at any stage of tendering, is solemnly vested with the Director General, Kerala Fire and Rescue Services or a committee appointed by him.

The rules and regulations prescribed for e-tenders by the Government of Kerala/Store Purchase Manual, Government of Kerala shall be applicable to this e-tender also. If any tenderer wants any clarification on any aspect of the tender, he/she can send email to dt.frs@kerala.gov.in or fax to 0471-2337422.

Details with respect to the e-tender and the details of specifications of the item to be purchase can be obtained from the e-tender website <https://etenders.kerala.gov.in>.

Any legal dispute that may arise in relation to the e-tender formalities will be restricted to the jurisdiction of Thiruvananthapuram District Court.

Technical Specification for Walkie Talkie

The Walkie Talkie, in general, shall satisfy the following

1. Frequency Range shall be 136-174 MHZ full band with LTE band.
2. Channel capacity shall be 30 or higher with separate continuous rotation button.
3. Channel spacing shall be 12.5 KHZ or better.
4. Frequency stability shall be 0.5 PPM or better.
5. Type of operation shall be Simplex/Semi-duplex/Press to talk.
6. Flexible type antenna shall be provided.
7. Weight shall not be more than 350 grams with battery.
8. 2200mAH Li-Ion rechargeable battery or better shall be provided. Both radio and battery should be of the same OEM.
9. The hand set shall have the Following essential features.
 - (a) Single key Selective call facility.
 - (b) Battery level Announcement.



- (c) Scan with priority on both Analog & Digital Mode.
- (d) Feature to enable/disable announcement.
- (e) Channel Number/Name Announcement facility.
- (f) PC based programming using USB.
- (g) Programmable key for selective calling.
- (h) Automatic Audio enhancement in harsh environment
- (i) Home channel reminder.
- (j) Display should be available.
- (k) Lone Worker facility with man down feature.
- (l) Minimum 2 Soft keys for programming: Squelch, Power High/Low, pre-programmed SMS/Selective call, etc..
- (m) This radio shall be able to communicate state wide in the IP Network.

10. Transmitter shall have the following features.

- (a) RF Power output-Programmable - 5W or higher.
- (b) Deviation - $\pm 2.5\text{KHZ}$ @ 12.5 KHZ and $\pm 5\text{ KHZ}$ at 25 KHZ.
- (c) Emission - 11 K0F3E for 12.5KHZ and 16K0F3e for 25 KHZ.
- (d) Digital Modulation - 4 FSK modulation 7K60FXE.
- (e) Conducted/Radiated Emission - Better than $-36\text{ dbm} < 1\text{GHZ}/-30\text{ dbm} > 1\text{GHZ}$.
- (f) Audio distortion - Less than 3% @ 1KHZ.
- (g) TOT for disallowing inadvertent keying of the transmitter, to prevent locking up one of the communication channel un-necessary.
- (h) FM Hum/Noise -
 - (a) for 25 KHZ: 45 dB or better.
 - (b) for 12.5 KHZ; 40dB or better.
- (i) Adjacent channel power should be 60 db @ 12.5 kHz/70 db @ 25 kHz or better.
- (j) Digital vocoder should be AMBE +2.
- (k) Audio Response shall be as per TIA 603D.
- (l) Inbuilt provision for Communication Security.

11. Receiver shall have the following features.

- (a) Sensitivity $-0.16\text{ }\mu$ at 5% BER or better (Digital) $0.16\text{ }\mu$, Analogue Sensitivity. (12dB SINAD). Adjacent channel sensitivity shall be 60 db @ 12.5 kHz or better.
- (b) Audio output shall be 0.5 W or higher.
- (c) Audio distortion shall be less than 3%.
- (d) Conducted spurious Emission (-57dBm or better)



12. Suitable Battery Charger shall be supplied along with each equipment.
13. User manual in English language shall be supplied with each equipment.
14. The equipment shall satisfy the following Environmental Standard.
 - (a) IP Rating IP-67 (certified from approved lab shall be produced).
 - (b) Operating temperature shall be from -30 to +60 C.
 - (c) Storage temperature shall be from -40 to + 60 C.
 - (d) MIL standard 810D, 810E, 810G or equivalent for Low Pressure, High Temperature, Low Temperature, Rain, Dust, Vibration & Shock (shall be certified by approved lab).
15. OEM Warranty for minimum for 36 months shall be provided. Undertaking in this regard shall be provided.
16. Bidder shall ensure after sales service for a period of minimum 7 years.
17. Bidder shall have service centers in Kerala. (Documents in this regard from the OEM shall be submitted along with the tender)
18. The Firm should enclose DOT/WPC License for supplying Wireless equipment in India.
19. Warranty certificate shall be provided for each equipment.
20. Successful bidder should get the operating license each year for the entire contract period from wireless planning and coordination wing, Government of India, for Kerala Fire and Rescue Services Department.
21. The Equipment offered shall pass the performance evaluation based on the demonstration to be conducted immediately after technical bid opening. The demo should be on it no cost, no commitment basis.

CONDITIONS

1. Whether samples are essential : Pamphlets, Photograph etc should be forwarded along with the Tender. Samples shall be produced which may be subjected to tests by the departmental personnel.
2. Period with in which goods should be delivered : Within 45 days from the date of supply order
3. F.O.R : Thiruvananthapuram.
4. Payment : 100% payment against delivery at Thiruvananthapuram and final acceptance by an acceptance committee.
5. Other Special Conditions :
 1. A Warranty of 12. months from the date of successful final receipt of the item.
 2. EMD-1% of PAC in online payment.
 3. Security deposit 5 % of total contract amount to be furnished as mentioned in the Notice inviting e-Tender, which will be released after the expiry of the warrantee period.



4. Any firm whose proprietor, Partner or Director is involved in a Vigilance Case has been charge sheeted and ending trial at court in connection with fabrication/ supply of similar product made earlier to this department/ Kerala Government are not eligible to participate and shall be barred from participating in this tender.
5. Anybody attempting to offer bribe or otherwise influence in any manner the officials of the Kerala Fire and Rescue Services or its supervisory levels in the Government will be disqualified.
6. Tenderer must produce Manufacturers (OEM) authorization letter confirming uninterrupted supply, full compliance with tender specifications along with Technical bid.

Directorate of Fire and Rescue
Services Headquarters,
Thiruvananthapuram.

SANDHYA B. IPS,
Director General.



Ground Water Department

ദർഘാസ് പരസ്യം

[ടെണ്ടർ നമ്പർ 13/2021-22]

നമ്പർ ജി.ഡബ്ല്യു./ഡി.ഡബ്ല്യു./റ്റി/254/05(2).

2021 ഡിസംബർ 4.

ഭൂജല വകുപ്പ് വയനാട് ജില്ലാ ഓഫീസിലേയ്ക്ക് പി. വി. സി. പൈപ്പുകൾ വിതരണം ചെയ്യുന്നതിന് ജി. എസ്. റ്റി. രജിസ്ട്രേഷൻ ഉള്ള അംഗീകൃത ഏജൻസികൾ/നിർമ്മാതാക്കൾ/വിതരണക്കാർ നിന്നും മുദ്രവച്ച മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

വിതരണം ചെയ്യേണ്ട പി. വി. സി. പൈപ്പുകൾ

1. 200mm 8kg/cm² - 102 meter.
2. 20mm 10kg/cm² - 60 meter.

അടങ്കൽ തുക—₹ 2,91,300.

നിരതദ്രവ്യം—₹ 7,300.

ടെണ്ടർ ഫോറത്തിന്റെ വില—₹ 600 + 12% ജി.എസ്.ടി.

ദർഘാസുകൾ നൽകി തുടങ്ങുന്ന തീയതി—17-12-2021, 11 മണി.

ദർഘാസുകൾ വിൽക്കുന്ന അവസാന തീയതി—24-12-2021, 1 മണി.

ദർഘാസുകൾ സ്വീകരിക്കുന്ന അവസാന തീയതി—24-12-2021, 3 മണി.

ദർഘാസുകൾ തുറക്കുന്ന തീയതി—24-12-2021, 4 മണി.

പി. വി. സി. പൈപ്പുകൾ വിതരണം ചെയ്യേണ്ട കാലാവധി—15 ദിവസം.

പി. വി. സി. പൈപ്പുകളുടെ സാധുവായ ടെസ്റ്റ് സർട്ടിഫിക്കറ്റ് ടെണ്ടറിന്റെ കൂടെ സമർപ്പിക്കേണ്ടതാണ്. ഏതെങ്കിലും കാരണവശാൽ ടി ദിവസം പൊതു അവധി പ്രഖ്യാപിക്കപ്പെട്ടാൽ അടുത്ത പ്രവൃത്തി ദിവസം ദർഘാസുകൾ തുറക്കുന്നതായിരിക്കും. ദർഘാസ് പ്രമാണങ്ങളും മറ്റു വിവരങ്ങളും താഴെ ഒപ്പുവച്ചിരിക്കുന്ന ഉദ്യോഗസ്ഥന്റെ കാര്യാലയത്തിൽ നിന്നും 24-12-2021 ഉച്ചയ്ക്ക് ഒരു മണി വരെ ലഭിക്കുന്നതാണ്. ദർഘാസ് പ്രമാണങ്ങൾ അന്യോന്യം കൈമാറാൻ പാടില്ലാത്തതാകുന്നു. ദർഘാസ് പ്രമാണത്തിന്റെ വില യാതൊരു കാരണവശാലും മടക്കിക്കൊടുക്കുന്നതല്ല. പോസ്റ്റാഫീസിൽ നിന്നും ജില്ലാ ആഫീസറുടെ പേരിൽ പണയപ്പെടുത്തിയ നാഷണൽ സേവിംഗ്സ് സർട്ടിഫിക്കറ്റ്/ഡിമാൻഡ് ഡ്രാഫ്റ്റ് ദർഘാസിനോടൊപ്പം നിരതദ്രവ്യമായി സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസിനോടൊപ്പം ₹ 200-ന്റെ മുദ്രപത്രത്തിൽ പ്രാഥമിക ഉടമ്പടി സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസുകളെ സംബന്ധിച്ച എല്ലാ സർക്കാർ നിബന്ധനകളും ഈ ദർഘാസിനും ബാധകമായിരിക്കും.

ഭൂജല വകുപ്പ് ഓഫീസ്,
വയനാട്.

(ഒപ്പ്)
ജില്ലാ ഓഫീസർ



Homoeopathic Department

ലഘു ദർഘാസ് പരസ്യം

നമ്പർ 1446/എ2/2021/ജി.എച്ച്.എം.സി.എച്ച്

2021 ഒക്ടോബർ 27.

കോഴിക്കോട് ഗവൺമെന്റ് ഹോമിയോപ്പതിക് മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലേക്കാവശ്യമായ ലാബ് കെമിക്കലുകൾ റണ്ണിംഗ് കോൺട്രാക്ട് മുഖേന വിതരണം ചെയ്യുവാൻ തയ്യാറുള്ളവരിൽനിന്നും സീലുവെച്ച മൽസര സ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. വിതരണം ചെയ്യേണ്ട കെമിക്കലുകളുടെ ലിസ്റ്റ് ടെണ്ടർ ഫോറത്തോടൊപ്പം ലഭിക്കുന്നതാണ്.

ദർഘാസുകൾ സമർപ്പിക്കുന്ന കവറിനു പുറത്ത് “റണ്ണിംഗ് കോൺട്രാക്ട് മുഖേന ലാബ് കെമിക്കലുകൾ വിതരണം ചെയ്യുന്നതിനുള്ള ദർഘാസ്” എന്ന് രേഖപ്പെടുത്തേണ്ടതും സൂപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോപ്പതിക് മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ 20-12-2021-ന് പകൽ 11 മണിക്ക് മുമ്പായി ലഭിച്ചിരിക്കേണ്ടതുമാണ്. വൈകി ലഭിക്കുന്നവ യാതൊരു കാരണവശാലും പരിഗണിക്കുന്നതല്ല. ലഭിച്ച ദർഘാസുകൾ അന്നേദിവസം 11.30 മണിക്ക് ദർഘാസു കാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ വ്യക്തികളുടെയോ സാന്നിധ്യത്തിൽ തുറന്ന് പരിശോധിക്കുന്നതും ഏറ്റവും കുറഞ്ഞ നിരക്കും ഗുണമേന്മയുള്ള ഉത്പന്നം രേഖപ്പെടുത്തിയതുമായ ദർഘാസുകൾ അംഗീകരിക്കുന്നതുമാണ്. ദർഘാസിന്റെ കൂടെ മൊത്തം തുകയുടെ ഒരു ശതമാനം വരുന്ന തുകയ്ക്കുള്ള ഡിമാന്റ് ഡ്രാഫ്റ്റ് നിരതദ്രവ്യമായും കേരള സർക്കാരിന്റെ ₹ 200 മുദ്രപത്രത്തിൽ നിശ്ചിത മാതൃകയിലുള്ള സമ്മപത്രവും ഉള്ളടക്കം ചെയ്യേണ്ടതുമാണ്.

അടങ്കൽ തുക—₹ 4,90,000.

ദർഘാസ് ഫോറം ആവശ്യമുള്ളവർ സൂപ്രണ്ട്, ഗവൺമെന്റ് ഹോമിയോപ്പതിക് മെഡിക്കൽ കോളേജ് ആശുപത്രി, കാരപ്പറമ്പ്, കോഴിക്കോട്-10 എന്ന വിലാസത്തിൽ സ്വന്തം പേപ്പറിൽ അപേക്ഷിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ₹ 1,180 ആണ് (ജി.എസ്.ടി. ഉൾപ്പെടെ). ഇത് യാതൊരു കാരണവശാലും തിരിച്ചുനൽകുന്നതല്ല. ദർഘാസുകൾ കൈമാറ്റം ചെയ്യുവാൻ പാടുള്ളതല്ല. ടെണ്ടർ ഫോറം തപാലിൽ ലഭിക്കണമെങ്കിൽ ₹ 50 തപാൽ ചാർജ്ജായും അയയ്ക്കേണ്ടതാണ്. ഡ്യൂപ്ലിക്കേറ്റ് ഫോറം ആവശ്യമുള്ളവർ ₹ 590 കൂടുതലായി അയയ്ക്കേണ്ടതാണ്.

ദർഘാസ് ഫോറം 15-12-2021-നു പകൽ 3 മണി വരെ നേരിട്ടും 3-12-2021-നു 3 മണി വരെ തപാൽ മുഖേനയും ലഭിക്കുന്നതാണ്. തപാൽ മുഖേന ലഭിക്കണമെങ്കിൽ മണിയോർഡർ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. വിതരണം ചെയ്യുവാൻ ഉദ്ദേശിക്കുന്ന കെമിക്കലുകളുടെ വിശദവിവരങ്ങൾ (അളവ്, കമ്പനി മുതലായവ) ദർഘാസിന്റെ കൂടെ അടക്കം ചെയ്യേണ്ടതാണ്. ആശുപത്രി സൂപ്രണ്ടിന്റെ നിർദ്ദേശാനുസരണം ഉല്പന്നങ്ങൾ വിതരണം ചെയ്യേണ്ടതാണ്.

കൂടുതൽ വിവരങ്ങൾക്ക് പ്രവർത്തി ദിനങ്ങളിൽ ആശുപത്രി ഓഫീസുമായി ബന്ധപ്പെടേണ്ടതാണ്.



No. 1466/A2/21/GHMCH.

27th October 2021.

Competitive Sealed tenders are invited for the supply of various lab chemicals through running contract basis for the use of Govt. Homoeo Medical College Hospital, Karaparamba, Calicut. The list of Lab Chemicals will be issued along with the tender forms.

The tenders shall be superscribed as "Tender for the Supply of Lab chemicals on running contract" and addressed to the Superintendent, Govt. Homoeo Medical College Hospital, Karaparamba, Kozhikode-10. The last date of receipt of tender is 20-12-2021 at 11 AM. Late tenders will not be considered. Tenders will be opened at 11.30 a.m. on the same day in the presence of such of tenderers or their authorised representatives who may be present at that time.

Those who want tender forms should apply to the Superintendent, Govt. Homoeo Medical College Hospital, Karaparamba, Calicut-10. Application for tender form should be accompanied by a cash remittance of ₹ 1,180 (Inclusive of GST) which is the price fixed for a form, and is not refundable under any circumstances. Sale of tender form can be closed at 3 p.m. on 15-12-2021 by direct and 3-12-2021 by post. The tender forms will be obtained from the Hospital office on direct payment or Money Order only on working days. Those who require tender forms by post should send an additional amount of ₹ 50 towards postage charge. Duplicate forms, if required will be issued for ₹ 590 per copy.

A demand draft for an amount of 1% of the total cost of items should be enclosed along with the tender as EMD. Specification of items must be attached with tender. An agreement in the prescribed form is to be executed and signed in Kerala Govt. Stamp paper worth ₹ 200 should also be submitted along with the tender.

The tender without the required EMD and agreement will summarily be rejected. Late tenders will not be entertained on any account. Any additional information required can be had from the office of the under signed during working hours.

The chemicals must be supplied as and when required by this office.

Govt. Homoeo Medical
College Hospital,
Kozhikode.

(Sd.)
Superintendent.



Medical Education Department

ദർഘാസ് പരസ്യം
[13/2021-22, 14/2021-22]

(1)

നമ്പർ സി2/2540/2021/ജി. ഡി. സി. റ്റി.

2021 നവംബർ 12.

തിരുവനന്തപുരം സർക്കാർ ദന്തൽ കോളേജിൽ 2021-22 വർഷത്തേക്ക് കെമിക്കൽസ് ആന്റ് മെറ്റീരിയൽസ് വിതരണം ചെയ്യുന്നതിന് നിശ്ചിത ഫോറത്തിൽ മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് ഉള്ളടക്കം ചെയ്ത കവറിൽ “ടെണ്ടർ നമ്പർ .../2021-22” എന്ന് രേഖപ്പെടുത്തേണ്ടതും “പ്രിൻസിപ്പാൾ, സർക്കാർ ദന്തൽ കോളേജ്, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരളം” എന്ന മേൽവിലാസത്തിൽ എത്തിച്ച് തരേണ്ടതുമാകുന്നു.

| ദർഘാസ് നമ്പർ | ദർഘാസ് ഫോറത്തിന്റെ വില (അസ്സൽ) (₹) | ദർഘാസ് ഫോറത്തിന്റെ വില (ഡ്യൂപ്ലിക്കേറ്റ്) (₹) | ദർഘാസ് വിലപന അവസാന തീയതി | ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതി | ദർഘാസ് തുറക്കുന്ന തീയതി |
|--------------|------------------------------------|---|--------------------------|-----------------------------------|-------------------------|
| 13/2021-22 | 400+12% GST | 200+12% GST | 22-12-2021, 3.30 pm | 23-12-2021, 11.00 am | 23-12-2021, 11.30 am |
| 14/2021-22 | 500+12% GST | 300+12% GST | 22-12-2021, 3.30 pm | 23-12-2021, 11.00 am | 23-12-2021, 11.30 am |

താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് സംബന്ധിച്ച് വിശദ വിവരം ചുവടെ ചേർക്കുന്നു. ദർഘാസ് സമർപ്പിക്കാൻ ആഗ്രഹിക്കുന്നവർ “പ്രിൻസിപ്പാൾ, സർക്കാർ ദന്തൽ കോളേജ്, തിരുവനന്തപുരം” എന്ന വിലാസത്തിൽ അപേക്ഷിക്കേണ്ടതും നിശ്ചിത ടെണ്ടർ ഫോറം വാങ്ങേണ്ടതുമാണ്. ടെണ്ടർ ഫോറത്തിനായുള്ള അപേക്ഷയോടൊപ്പം മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്ന നിരക്കിൽ ഫോറത്തിന്റെ നിശ്ചിത വില ഒടുക്കേണ്ടതും അത് യാതൊരു കാരണവശാലും തിരികെ ലഭിക്കുന്നതല്ലാത്തതും ആണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിലപന മുകളിൽ ചേർത്ത തീയതികൾക്ക് അനുസൃതമായിരിക്കും. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ഡി.ഡി. കളോ, പോസ്റ്റേജ് സ്റ്റാമ്പുകളോ സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി. പി. പി. ആയി അയയ്ക്കുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ പകർപ്പ് ഓരോന്നിന്റെയും വില മുകളിൽ സൂചിപ്പിച്ചിരിക്കുന്നതായിരിക്കും. തപാലിൽ ദർഘാസ് ഫോറം വേണമെന്നുള്ളവർ ഫോറത്തിന്റെ വിലയോടൊപ്പം ₹ 50 (അൻപത് രൂപ മാത്രം) അധികം പോസ്റ്റൽ ചെലവിലേക്കായി മണിയോർഡർ മുഖേന സമർപ്പിക്കേണ്ടതാണ്. മണിയോർഡർ ഈ ആഫീസിൽ ലഭിക്കേണ്ട അവസാന തീയതി 15-12-2021, 3.30 മണി ആയിരിക്കും.

| ദർഘാസ് നമ്പർ | ദർഘാസ് ഫോറത്തിന്റെ (അസ്സൽ) | ഏകദേശ വില (ലക്ഷത്തിൽ) |
|--------------|----------------------------|-----------------------|
| 13/2021-22 | ₹ 400+12% GST | ₹ 1.20 |
| 14/2021-22 | ₹ 500+12% GST | ₹ 1.90 |

നിരതദ്രവ്യം—ഏകദേശ വിലയുടെ 1% (കുറഞ്ഞ നിരതദ്രവ്യം ₹1,500.)



No. C2-2540/2021/GDCT.

12th November 2021.

Sealed competitive tenders in the prescribed form are invited for the purchase of Chemicals and Materials in Government Dental College, Thiruvananthapuram for the year 2021-2022 as detailed below. The envelopes containing tender should bear the superscription "Tender No. .../2021-22 for the supply of "Chemicals and Materials" and should be addressed to "The Principal, Government Dental College, Thiruvananthapuram, Pin-695 011". Last date of tenders sale, Last date of receipt of tenders, date and time of opening of tenders are scheduled as given below. Late tenders will not be accepted. The tenders will be opened in the presence of such of the tenderers or their authorized representatives, who may be present at that time.

| <i>Tender No:</i> | <i>Last Date of Sale of Tender form</i> | <i>Last Date of Receipt of Tender Form</i> | <i>Date of opening Tender ₹</i> | <i>Cost of Tender form (original) ₹</i> | <i>Cost of Tender form (Duplicate)</i> |
|-------------------|---|--|---|---|--|
| 13/2021-22 | 22-12-2021, 3.30 a.m. | 23-12-2021, 11.00 a.m. | 23-12-2021, 11.30 p.m. | 400+12% GST | 200+12% GST |
| 14/2021-22 | 22-12-2021, 3.30 a.m. | 23-12-2021, 11.00 a.m. | 23-12-2021, 11.30 p.m. | 500+12% GST | 300+12% GST |

Intending tenderers may, on application to The Principal, Government Dental College, Thiruvananthapuram, Pin-695 011 obtain requisite tender forms on which tenders should be submitted. Application for the tender form should be accompanied by a cash remittance shown above, which is the price fixed for a form and which is not refundable at any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 3.30 p. m. on 2-12-2021. Cheques, Postage Stamps, DD etc. will not be accepted towards the cost of forms, nor will the forms be sent by V. P. P. Duplicate tender forms, if required, will be issued by a cash remittance shown above, per copy, tender forms will be sent, if required, by post on payment of an additional amount of ₹ 50 as postage charge in the form of Money Order. Last date of receipt of Money Order is 15-12-2021 at 3 p. m. The specifications and tender schedule attached to the tender notice will forms part of this tender notice.

| <i>Tender No.</i> | <i>Cost of Tender Form (₹)</i> | <i>Approximate Cost in Lakhs (₹)</i> |
|-------------------|------------------------------------|--|
| 13/2021-22 | 400+12% GST | 1.20 |
| 14/2021-22 | 500+12% GST | 1.90 |

EMD—1% of Approximate Cost subject to minimum of ₹ 1,500.00.



SPECIFICATION OF THE ITEMS

Tender No 13/2021-22

Name of the Items—Chemicals

Name of Department—Oral Pathology and Microbiology

Quantity—Various

Approximate Value—₹ 1,20,000

| <i>Item No.</i> | <i>Chemical Reagents</i> | <i>Basic Quantity</i> | <i>Requirement</i> |
|-----------------|---|-----------------------|--------------------|
| 1 | Secondary Antibody kit | 1 Kits | 1 No. |
| 2 | Wash buffer 20x (Biogenex) | 500ml | 2 Nos. |
| 3 | Antigen Retrieval buffer 10% (Biogenex) | 500ml | 1 No. |
| 4 | DAKO pen | 1 pen | 1 No. |
| 5 | Pan CK | 6ml | 1 No. |
| 6 | CD 34 | 6ml | 1 No. |
| 7 | S-100 | 6ml | 1 No. |
| 8 | Desmin | 6ml | 1 No. |
| 9 | Ki-67 | 6ml | 1 No. |
| 10 | Vimentin | 6ml | 1 No. |
| 11 | CD68 | 6ml | 1 No. |
| 12 | p16 | 6ml | 1 No |
| 13 | CD105 | 6ml | 1 No. |
| 14 | CD163 | 6ml | 1No. |
| 15 | CK14 | 6ml | 1 No. |



Tender No 14/2021-22

Name of the Equipment—Materials

Name of Department—Oral & Maxillofacial Surgery

Quantity—Various

Approximate Value—₹ 1,90,000

| <i>Item No.</i> | <i>Item</i> | <i>Specification</i> | <i>No. Required</i> |
|-----------------|-------------------------------------|----------------------|---------------------|
| 1 | Cross drive screw holder cum driver | 1 .5 mm | 1 |
| 2 | Cross drive screw holder cum driver | 2.00 mm | 1 |
| 3 | Drill bits | 1.5mm | 10 |
| 4 | Drill bits | 2.00mm | 10 |
| 5 | Self drilling titanium screws | 2.00mm | 10 |
| 6 | Stainless steel wire | 23 guage | 50 |
| 7 | Tungsten Carbide burs | HP round No. 6 | 50 |
| 8 | Tungsten Carbide burs | HP round No. 4 | 50 |
| 9 | Tungsten Carbide burst | Straight | 50 |
| 10 | IMF Screws | 10mm stainless steel | 50 |
| 11 | Titanium Plates | 4 hole | 50 |
| 12 | Titanium Plates | 2 hole | 50 |
| 13 | Titanium Plates | 20hole | 50 |
| 14 | Titanium Plates | 6 hole | 50 |
| 15 | Titanium Plates | “L” type | 50 |
| 16 | Titanium screws | 1.5mm dia 6mm long | 25 |
| 17 | Titanium screws | 2.00mm dia 8mm long | 25 |
| 18 | Titanium screws | 2.00mm dia 6mm long | 25 |
| 19 | Titanium screws | 2.5mm dia 8mm long | 25 |
| 20 | Titanium screws | 2.5mm dia 10mm long | 25 |

Govt. Dental College,
Thiruvananthapuram.

(Sd.)
Principal.



ദർഘാസ് പരസ്യം

(1)

[നമ്പർ 70/2021]

നമ്പർ സി5/26344/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 15.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് പത്തോളജി വിഭാഗത്തിലേക്ക് ട്രൈനോക്കുലർ റിസർച്ച് മൈക്രോസ്കോപ്പ് വിത്ത് ഫോർ ഒബ്ജക്ടീവ്സ് ക്യാമറ അറ്റാച്ച്ഡ് [Trinocular Research Microscope with 4 objectivees camera attached (1 No.)] വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തീർത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 672 (600+72).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 336.

നിരതദ്രവ്യം—₹ 1%. (₹ 2,000).

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—15-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



DETAILED SPECIFICATION OF TRINOCULAR MICROSCOPE

TRINOCULAR RESEARCH MICROSCOPE WITH HDMI CAMERA & LAPTOP

- **Stand :** Single mold Sturdy stand with anti rust materials. Extended base for better stability with Ceramic Coated Stage Plate.
- **Sidentopf Trinocular Head** 30° inclined, 360° rotatable, Interpupillary distance Adjustable 48-75mm. Vacuum coated Prism for better transmission and anti fungus character.
- **Eyepieces :** Focusable wide Field eyepiece WF10x/22mm paired with foldable eye guards, Lockable, anti-fungus coating, graduated ring for setting of individual Eye Diopter.
- **Nosepiece :** Quintuple Reverse angle nosepiece (Ball bearing type) with click stops and rubber grip, anti-fungus coating. PAR-CENTERED & PARFOCAL on CNC Machines.
- **Objectives :** RP series DIN Infinity Corrected WF Plan Achromatic objectives 4x, 10x, 40x (spring loaded). 100x Oil (spring loaded) anti-fungus coating. 4x, 10x & 2.5x/20x Objectives have long working distance.
- **Mechanical Stage :** PACKLESS X-axis, Ceramic Coated double plate mechanical stage size 200 x 160mm X/Y travel range 76 x 40mm. Slide holder to accommodate up- to two slides.
- **Condenser :** Sub-stage abbe condenser NA 1.25 with aspheric lens and Iris diaphragm. Rack and pinion movements on stainless steel guides. Day light blue filter provided. Optional Available with Flip Top Lens.
- **Focusing:** Co-axial coarse and fine focusing on gear systems for extremely smooth operation.
- **Illumination:** Kohler LED illumination with variable illumination control. Rechargeable Lithium Ion Battery Provide long Hours of Battery Backup in case of electricity failure.
- **Electrical:** For LED Input 180v-250v AC or for HL input 220v-240v AC, with removable imported cord.
- Safety certificate from a competent authority CE issued by a notified body registered in European Commission as per EN 61010-1:2010 shall be produced along with the technical bid.
- PACKED in Styrofoam box, with operation manual, dust cover, cleaning cloth, power cord.
- HDMI CAMERA ALL IN ONE HDMI & USB CAMERA SONY EXMOR CMOS SENSOR.



CAMERA SPECIFICATION:

- Sensor IMX1 78(C)
- Sensor Size 1/1.9; (7.20x4.5)
- Pixel Size 3.75 x 3.75 m
- LIVE FPS/Resolution 60/1920 x 1080 (HDMI)
- 30/1920x1080(USB)
- Capture Resolution 8.0 MP
- Operating Temperature -10 ~ 50 (in Centidegree)
- Storage Temperature -20 ~ 60 (in Centidegree)
- Operating Humidity 30~80%RH
- Storage Humidity 10~60%RH
- Power Supply DC 12V/1A Adaptor.
- With suitable Laptop/PC & Printer

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.



11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

(2)

[നമ്പർ 69/2021]

നമ്പർ സി1/28094/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 15.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് പി.എം. ആർ. വിഭാഗത്തിലേക്ക് പേഷ്യന്റ് ഹോയിസ്റ്റ് രണ്ടെണ്ണം [Patient Hoist (2 Nos.)] വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം 695011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 672 (600+72).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 336

നിരതദ്രവ്യം—₹ 1%.(₹ 2,000)

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—15-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് നിർമ്മാണ പ്രവൃത്തിയിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



LIST OF THE ITEMS

| ദർശനം നമ്പർ | സാധനങ്ങളുടെ പേര് | യൂണിറ്റ് | അളവ് |
|----------------|---|----------|------|
| 69/2021 | 1. Patient Hoist | എണ്ണം | 2 |
| | (1) Ergonomic handle provide Multiple grip points to suit cares of different heights and strengths | | |
| | (2) Powered leg function opens and closes legs for lifting stability or accessibility | | |
| | (3) Strong powder coated steel frame with industry leading Timotion electronics | | |
| | (4) Critical Safety Features include an emergency stop button, emergency lowering and anti-entrapment technology with both patient and caregiver safety | | |
| | (5) Warranty—frame—2 years Electronic—2 Years | | |
| | (6) 150kg under capacity | | |

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ദർശനം നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

Tender Schedule

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.



7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tender.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

(3)

[നമ്പർ 77/2021]

നമ്പർ സി1/27838/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 16.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് പി.ഐ.പി.എം.എസ്. വിഭാഗത്തിലേക്ക് മോണോക്കുലർ മൈക്രോസ്കോപ്പ് 22 എണ്ണം (Monocular Microscope—22 Nos.) വാങ്ങുന്നതിന്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം 695011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.



അടങ്കൽ തുക—₹ 4,40,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,478 (1,320+158 GST).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 739

നിരതദ്രവ്യം—₹ 1%.(₹ 4,400)

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—22-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—22-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രഖ്യാപനത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.

| Items | Specifications | Quantity |
|----------------------|---|----------|
| Monocular microscope | <p>Should have quadruple nose piece and DIN semi plan Achromatic objectives 10x 40x (SL), 100x OIL (SL) anti- fungus coating.</p> <p>Should have LED illumination with rechargeable battery cells to provide battery back up in power failure.</p> <p>Input should be 220-240 VAC.</p> <p>Should have steady focus controls with convenient location and ball bearing.</p> <p>Should have Monocular tube 45 degree inclined and 360 degree rotatable</p> <p>Should have Integrated wide field eyepiece - 5x/6x, 10 x</p> <p>Should have Anti fungal coated optics</p> <p>Should have Quadruple nose piece with ball bearings</p> <p>Mechanical stage of dimension: 135 x 125 mm, with coaxial control with ball bearing. Graduated scale</p> <p>Should have Coaxial coarse and fine focusing system with ball bearing</p> <p>Illumination: LED illumination with in-built rechargeable battery and (5-6) hour's battery backup in case of electricity failure. Life of the LED source should be at least 1500 hours.</p> <p>Should have Stainless steel holder for slide with 75 x 50 mm movement</p> <p>Should have Abbe condenser, NA 125 aspherical lens</p> <p>Should have safety certificate from any national/international standard.</p> | 22 Nos. |



TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(4)

[നമ്പർ 80/2021]

നമ്പർ സി2/23899/2021/എം.സി.റ്റി.

2021 നവംബർ 17.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ ജനറൽ സർജറി വിഭാഗത്തിലേക്ക് ഡിസ്‌പോസിബിൾസ് (Disposable Endo Clinch 5mm with 31cm long shaft etc.) വാങ്ങുന്നതിലേക്ക് വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തീരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 672 (600+72 GST).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 336

നിരതദ്രവ്യം—₹ 1%.(₹ 2,000)

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—17-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



LIST OF ITEMS

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Quantity</i> |
|----------------|--|-----------------|
| 1 | Disposable endo shear 5 mm with 31 cm long shaft instrument offers Monopolar Monopolar cautery blades of endo shear instrument are 10mm long and curved * It should be disposable endo shear 5mm * It has 31 cm long shaft * It has Monopolar Cautery * It has 10mm long and curved blade | 6 Nos. |
| 2 | Disposable endo clinch 5 mm with 31 cm long shaft it has an automatic ratchet machanism * It should be disposable endo clinch 5mm * It has 31 cm long shaft * It has an automatic ratchet mechanism | 7 Nos. |
| 3 | Disposable endo grasp 5 mm with 31 cm long shaft it has ratchet mechanism * It should be disposable endo grasp 5mm * fl has 31 cm long shaft * It has an ratchet mechanism | 7 Nos. |

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.



6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(5)

[നമ്പർ 78/2021]

നമ്പർ സി1/27838(1)/2021/എം.സി.റ്റി.

2021 നവംബർ 17.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ പി.ഐ.പി.എം.എസ്. വിഭാഗത്തിലേക്ക് ലാബ് ഐറ്റംസ് (Lab items) 17 ഇനം വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,28,918.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,440 (1,286+154).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 720

നിരതദ്രവ്യം—1%. ₹ 4,289.

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—22-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—22-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



| <i>Sl. No.</i> | <i>Items</i> | <i>Specifications</i> | <i>Quantity</i> |
|----------------|---------------------------------|--|-----------------|
| (1) | (2) | (3) | (4) |
| 1. | Electric | <p>Stability should be + 0.20C water bath Should have digital temperature indicator with controller</p> <p>Should have an adjustable over-temperature alarm to protect samples from overheating</p> <p>Should have front control panel lock to prevent unintentional changes</p> <p>Display and temperature resolution should be 0.1°C</p> <p>Should have a digital display</p> <p>Should have Dry start/boil protection.</p> <p>Should have mat heating method, conventional coil heater should not be used.</p> <p>Should have 3 programmable preset temperatures which are commonly used (37°C, 56°C, 99°C)</p> <p>Should have countdown timer with alarm function.</p> <p>The timer range should be from 1 to 999 minutes.</p> <p>Should have a transparent lid.</p> <p>Power consumption should not exceed 540 W for 5-10 liters capacity</p> <p>Should have safety certificate from any national/ international standard</p> <p>Accessories include drain stopper/appropriate and flat lid with ring setts should be provided.</p> <p>Should have the capacity of 10 Litre</p> | 2 Nos. |
| 2 | Magnetic stirrer with hot plate | <p>Max Speed: 1400 rpm or better Stirring</p> <p>Capacity -20Liters of water or better</p> <p>Dimensions (W x L x H) in mm- (270-280 x 170-175 x 90-95)</p> <p>Speed Accuracy: ± 2</p> <p>Heating Power: 750-800W</p> <p>Hot Plate Temperature: 20-300 C</p> <p>Hotplate Temperature Accuracy: $\pm 5^\circ\text{C}$ Temperature</p> <p>Hot Plate Diameter: 140-145mm</p> <p>Microcontroller based temperature control Option for temperature accuracy with external temperature sensor-$\pm 1^\circ\text{C}$</p> <p>Plate material should be chemical resistant with Silumin Ceramized coating provision.</p> <p>An independent safety circuit with separate circuit switches off the heating if the normal</p> <p>hotplate temperature is exceeding by 25°C;</p> <p>Supply Voltage: 230V/50Hz</p> <p>Instrument should have CE certification Protection class- IP32</p> | 1 Nos. |



| (1) | (2) | (3) | (4) |
|-----|--------------------------------------|---|---------|
| 3 | Improved neubauer's Counting Chamber | <p>Should have four widthwise grooves in the central third of a rectangular, thick base plate made of special optical glass.</p> <p>The grooves are parallel to the short sides of the base plate and the central third has the same size as the cover glass used with the counting chamber. Two larger external surfaces for marking purposes.</p> <p>The central support and the two external supports are ground smooth and polished. Should have double net (two counting nets) ruling, middle support with one division</p> <p>Counting Net Dimensions : Largest square size : 1 mm² Group square : 0,04 mm² Smallest square size : 0,025 mm² Chamber Depth is 0.100 mm or more</p> | 10 Nos. |
| 4 | Electronic balance | <p>Read out 0.1</p> <p>Weighting range 120 g</p> <p>2 Reproducibility 0.2mg</p> <p>Linearity 0.3mg</p> <p>Calibration Internal</p> <p>Display LCD, Digit height 14mm</p> <p>Weighting plate 91mm diameter</p> <p>Weighting cell Single cell.</p> <p>Stabilization time Steady weight values within 4 sec under laboratory conditions</p> <p>Construction Shock proof</p> <p>Should comply for safety in any national / international safety standard.</p> | 2 Nos. |
| 5 | Centrifuge | <p>Should have a maximum speed of 5000 RPM with stepless regulator</p> <p>Should be supplied with a safety lid and lock.</p> <p>Should have a digital speedometer and timer.</p> <p>Should have an imbalance detector and automatic cutoff.</p> <p>Should have CE and ISO 13485 certification</p> <p>Should work on 200-240Vac 50Hz power supply.</p> <p>Should have swing out rotor of size 8*15ml</p> | 1 Nos. |



| (1) | (2) | (3) | (4) |
|-----|----------------------------------|--|--------|
| 6 | Chemical balance with weight box | <p>Capacity : 250g or more up to 1 kg</p> <p>Readability : Should have Readability ≥ 0.1 mg or better</p> <p>Repeatability (+/-) : Should have Repeatability (+/-) 0.1mg or better</p> <p>Linearity (+/-) : Should have Linearity ± 0.3 mg or better</p> <p>Response time 8 to 10 seconds</p> <p>Calibration: Should have automatic internal Calibration program with building</p> <p>Calibration weights</p> <p>Display : LCD with back light/LED</p> <p>Units of measure : g, mg</p> <p>Sensitivity drift : 0.002%</p> <p>Interfaces : Rs-232C or USB</p> <p>Tare range : Full</p> <p>Operating temperature : 5degC to 40 degC</p> <p>Power supply : AC adaptor, 230V/115V\pm20%, 50-60Hz, Adaptor-12V dc. 1A</p> <p>Protection : User administration and password protection</p> <p>Terminal : Detachable and adjustable display terminal</p> <p>Application modes PCS, Percentage weighing.</p> <p>Compliance : ISO GLP/GMP certified and CE issued by a notified body registered in European Commission.</p> <p>Weighing pan size should have diameter at least 80 mm or better</p> | 5 Nos. |
| 7 | Disicator | <p>Should be a vacuum desiccators</p> <p>Should have a round/cubic design</p> <p>should be light weight with thigh tensile strength</p> <p>Should have a maximum vacuum of 1 Torr (1.33×10^{-4} Mpa) for 72 hours</p> <p>Gaskets should be made of silicone with air tight seal..</p> <p>Should be transparent and non corrosive</p> <p>Should be made of polycarbonate or equivalent easy to clean</p> <p>Should be shatter proof</p> | 2 Nos. |



| (1) | (2) | (3) | (4) |
|-----|-----------------------------|--|--------|
| 12 | Modal trimmer | 1 HP-RPM 2800 heavy duty powered motor, equipped with two all bearing single speed, rating continuous with buffer inlet each motor, Single speed with one 10' diamond disc rough, one 10'' Carborundum wheel Indian, Heavy Base inlet, Outflow Water System, No. pulleys or belts Automatic on/off dust collector 230 Volt, 50/60 Hz O.D. suction connection | 1 No. |
| 13 | PKT Kit | For wax pattern fabrication, set of 5 | 2 Nos. |
| 14 | DIE cutting machines | Variable Speed Electric Die Cutting with Laser Beam & Suction. Attached dust extractor. <ul style="list-style-type: none"> • Manual drilling synthetic case, complete with accessories • Hand Drill-1 Pc, Set of flexible socket former-1 • Tools for drill changing-1, Socket wrench-1 • Pin introduction set -1. | 1 Nos. |
| 15 | Acryliser | <ul style="list-style-type: none"> • With Digital Temp. Controller cum Timer SS • Double walled inside and outside body made of Stainless steel 304 Grade. inner Size 300 x 250 x 350 mm. | 1 No. |
| 16 | Vibrator | 40Hz Variable vibration Removable rubber plane 15x23 cm. Noise-free, vertical movement Holdfast feet for adhesion to surface. Current supply 230V—50/60Hz Power 170W or highest Electric, Semi automatic, steel body The electro-Vibrator Assist. To Release, The bubbles from the investment By producing Adequate Vibrations. | 1 No. |
| 17 | Micro motor with hand Piece | FDA, CE certified. Lab micro motor with hand piece. (Straight Handpiece, Autoclavable Stainless Steel used for trimming den trimming dentures) 40,000rpm. Continuous variable speed control. Auto-cruise function. Temperature sensor to cut off power supply at excess heat generation. | 1 No. |



TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(6)

[നമ്പർ 81/2021]

നമ്പർ സി3/28538/2021/എം.സി.റ്റി.

2021 നവംബർ 17.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ ഇ. എൻ. ടി. വിഭാഗത്തിലേക്ക് ENT OP workstation (ഒരേണ്ണം) വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,99,999.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,680 (500+180 GST).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 840

നിരതദ്രവ്യം—₹ 5,000.

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—18-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—20-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—20-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെൻഡർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



TECHNICAL SPECIFICATION

(II) ENT OP—Work Station

- (1) It should have Suction, Sprayer, Mirror Re-warmer, Cold light source, Head light, Cable, Instrument Tray, Otoloscope attached to camera with monitor and also, having recording facility, Cautery Thermal
- (2) It should have Pneumatic Foot Operated Chair .
- (3) Patient Chair Specification
- (3) Electrically operated, Electrical/Hydraulic height adjustment, lift 20cm, with foot switch, Remote control. The upper part is easily all round swiveling and fixable by an arresting brake, the tall back rest is adjustable forward beyond the vertical line, backwards it can be declined slightly more than the horizontal line without any special assistance, the patient immediately sits down in an optimum position for examination by the synchronous coupling of the back rest to the foot support, the chair can be quickly changed into a long solid couch.
 - (a) Width — 60 cm
 - (b) Height — (upper edge back rest, lowest position) 120 cm
 - (c) Depth — Total 75cm
 - (d) Depth of the seat — 42 cm
 - (e) Height of the seat — 52-72 cm
 - (f) Power supply — 220V/50Hz

(III) Side Cabinet: Fully air tight see through cabinet with X-ray view top, three fully openable draws it can be used as formalin movable cabinet with UV light sterilization. RC is not available at present.

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.



4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(7)

[നമ്പർ 85/2021]

നമ്പർ സി2/26650/2021/സ.മെ.കോ.തി.

2021 നവംബർ 19.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ്/തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രി/എം. സി. എച്ച്. ഫാർമസി മെയിൻ സ്റ്റോർ വിഭാഗത്തിലേക്ക് ECG Paper Roll 6108 T (BPL)) 15000 എണ്ണം വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽകോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 3,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,008 (900+108).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 504.

നിരതദ്രവ്യം—₹ 3,000.

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—17-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(8)

[നമ്പർ 79/2021]

നമ്പർ സി1/27838(2)/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 19.

തിരുവനന്തപുരം സർക്കാർ മെഡിക്കൽ കോളേജ് എം. എൽ. റ്റി. വിഭാഗത്തിലേക്ക് ലാബ് ഐറ്റംസ് (Lab Items - 7 Numbers) 7 ഇനങ്ങൾ വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽകോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം) :

ഒറിജിനൽ—₹ 1,344(1,200+144).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 672.

നിരതദ്രവ്യം— 1% (₹ 4,000).

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—22-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—22-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ദർഘാസ് നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.



List of Items

| <i>Sl.No.</i> | <i>Name</i> | <i>Specification</i> | <i>Quantity</i> |
|---------------|--------------------------------------|--|-----------------|
| (1) | (2) | (3) | (4) |
| 1 | Electrolyte Analyser | <p>Should be able to measure sodium potassium, ionized calcium & chloride.</p> <p>Should have a measuring method of Ion Selective Electrode (ISE).</p> <p>Should be able to measure sodium and potassium in serum and body fluids, Should have electrode for sodium, potassium, ionized calcium and chloride in case of electrode based technology, Resolution should be at least 0.1mmol/litre for each parameter, it should require 120 micro liter or lesser for whole blood serum. Should supply reagent pack for 1000 tests, one internal filing solution of 15ml, two cleaning solution of 125 ml, 100 ml, de-protenzier and one quality control of 10 ml (5ml each), should have an alpha numeric display/LCD display, Should have a minimum memory capacity of at least 100 samples, Should work on 200-240 Vac 50Hz power supply, Should be supplied with off line pure sine wave UPS of sufficient capacity for a minimum back up of 30 minutes. Should have safety certificate from a competent authority CE issued by a notified body registered in European Commission/FDA (US)/STQC CB Certificate/STQC S Certificate/ or valid detailed electrical and functional safety test report from ERTL. Copy of the certificate/test report shall be produced along with the technical bid. The amount and the rate of various reagents required to perform 1000 test /month shall be quoted separately and this rate will be taken for evaluation. The available pack size and amount/ pack (in ml) of these reagents available for each bidder shall be quoted. This rate shall</p> | 1 No. |
| 2 | Bacterial loop sterilizer electrical | <p>Maximum temperature in operation mode : 900°C±50°C.</p> <p>Maximum temp in stand by mode: 650°C±50°C.</p> <p>Maximum sample diameter : Ø14mm.</p> <p>Depth of heated area : 130 mm.</p> <p>Sterilization time : 3-4 sec.</p> <p>Ambient temperature : 4°C - 60°C</p> <p>Relative humidity : ≤ 90% Non condensing.</p> <p>Power : 200 W-250 W.</p> <p>Power Supply : AC-230v 50Hz.</p> | 2 Nos. |



| (1) | (2) | (3) | (4) |
|-----|------------------------------|---|--------|
| 3 | Precision electronic balance | <p>The device is designed to sterilize metal inoculating loops and needles. It should have angle movement. Once it reaches its optimum sterilization temperature, the loop or needle is sterilized within 5- 10 seconds. It should have a stable base.</p> <p>Capacity : 500g</p> <p>Readability : Should have Readability ≥ 0.1 mg or better</p> <p>Repeatability (+/-) : Should have Repeatability (+/-) : 0.1mg or better</p> <p>Linearity (+/-) : Should have Linearity ± 0.3 mg or better</p> <p>Response time : 8 to 10 seconds</p> <p>Calibration : Should have automatic internal Calibration program with building Calibration weights</p> <p>Display : LCD with back light / LED</p> <p>Units of measure : g, mg</p> <p>Sensitivity drift : 0.002%</p> <p>Interfaces : Rs-232 C or USB</p> <p>Tare range : Full</p> <p>Operating temperature : 5 degC to 40 deg C</p> <p>Power supply : AC adaptor, 230V/115V\pm20%, 50-60Hz, Adaptor-12V dc. 1A</p> <p>Protection : User administration and password protection</p> <p>Terminal : Detachable and adjustable display terminal</p> <p>Application modes : PCS, Percentage weighing.</p> <p>Compliance : ISO GLP/GMP certified and CE issued by a notified body registered in European Commission.</p> <p>Weighing pan size should have diameter at least 80 mm or better</p> | 3 Nos. |
| 4 | VDRL shaker | <p>The design should be compact intended to use for VDRL testing, microbiology, molecular microbiology and pathology in easy and uniform mixing of samples. Should have a platform with adjustable roller to fix samples of any type and size of micro plate, petri-dish, glass vessel or test tube.</p> <p>Should have a shaking orbit of min 10 mm.</p> <p>Should have an user selectable timer with a range of 0 - 99 min.</p> <p>Should have shock absorber rubber cushion to fix the samples properly</p> <p>Should have a brush less motor for maintenance free operation</p> <p>The motor should have a spinning speed of minimum 50 to 350 rpm.</p> <p>Should work on input power supply of 220 — 240 VAC/50 Hz</p> | 2 Nos. |



| (1) | (2) | (3) | (4) |
|-----|---|---|-------|
| 5 | PH meter | <p>Should have up to 5 point calibration with auto-buffer recognition</p> <p>Should be Quick, easy electrode diagnosis with multiple pH slopes and offset display.</p> <p>Should have Non-volatile memory holds up to 500 data points — time and date — stamped for GLP compliance</p> <p>Should calibrate with up to 5 custom pH buffers — use any pH values that are ? 1.0 pH unit apart.</p> <p>Should have Cal-due alarm—no more out-dated calibrations</p> <p>Should have auto-logging function for convenient continuous monitoring.</p> <p>Should have pH Range up to 14 pH</p> <p>Should have Resolution / Accuracy of 0.1 mV; ± 0.2 mV.</p> <p>Should have Temp. Range from 0.0 to 1000 C / 32.0 to 212.00 F</p> <p>Should have ATC Probe</p> <p>Should have buffer sets each 20ml for all 5 point calibrations.</p> <p>NIST traceable buffer sets shall be provided along with individual certificate</p> <p>Should have power requirements of 230v, 50HZ ac supply</p> <p>Should have output Rs. 232C (via cable)</p> <p>Should have safety certificate from any national / international standard.</p> | 2Nos. |
| 6 | Vertical electrophoresis with blotting unit | <p>Small vertical electrophoresis unit, 10 well, 1.00&1.5mm thickness, complete system should include 6 combs, 10 set of glass plates, casting clamp assembly, sample loading guide, electrophoresis module.</p> <p>Gel size: 8.3X7.3 cm (WXL) Aprox.</p> <p>Glass plate size : Inner 10.1.X7.3 cm aprox, Outer-10.1X8.2 cm aprox.</p> <p>Same system should be able to perform western blotting also (along with wet transfer module for western blott), 2D/tube gel electrophoresis & electro elution with the help of different module.</p> <p>Western blotting unit: Suitable for high quality blotting of two precast gels or hand cast gels.</p> <p>Should be able to transfer two 10x7.5 cm gels in just 1 hr.</p> <p>Should include a cooling unit which is completely contained within the transfer-blott cell and absorbs heat generated during rapid transfers. Applicable for western blotting and nucleic acid transfer.</p> <p>Maximum gel size : 10x7.5 cm. Buffer requirement : 450ml.</p> <p>Power supply: Input voltage range: 230V\pm10V , 50Hz.</p> <p>Programmable high voltage power supply of 300V/400mA/ 400W or above with constant Volt/Current/Power operating mode with crossover.</p> <p>Output voltage and current should be coarse and fine fully adjustable.</p> | |



| (1) | (2) | (3) | (4) |
|-----|---------------------------------|---|--------|
| 7 | Micropipette variable volume | <p>Built in timer range from 20 min to 60min. It should have Two out put terminal (2 positive and 2 negative for parallel usage). Auto power recovery feature will be preferred. Variable Volume Micropipettes feature built in tip ejectors and autoclavable tip cones. Should work on a click-stop digital system, are easy to calibrate and maintain, and easy disassemble for autoclaving. Low tip ejection force of ≤ 4 Newton Manufactured as per ISO 9001:2008, Each pipette should be individually calibrated according to ISO 8655 standards Calibration certificate must be provided with each pipette. Accuracy and Precision values should be those laid down in the ISO 8655 standards. Built-in, streamlined tip ejector facilitates easy tip ejection and access to narrow necked bottles and tubes.</p> <p>The following variable volumes of pipettes should be supplied 10 - 100μl : 01 No 100 - 1000 μL : 01 No 0.5-10μL : 01 No 5-50μl : 01 No Should supply with suitable pipette stand to hold the four or more pipettes together.</p> | 2 Nos. |

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-Judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.



9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College,
Thiruvananthapuram.

(Sd.)
Principal.



(9)

[നമ്പർ 83/2021]

നമ്പർ സി7/29321/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 19.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് എസ്.എ.സി ആശുപത്രി എസ്.എ.സി ആശുപത്രി സ്റ്റോർ വിഭാഗത്തിലേക്ക് ക്ലീനിംഗ് മെറ്റീരിയലുകൾ വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽകോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 3,00,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,008.

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 504.

നിരതദ്രവ്യം—₹ 3,000

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—17-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ദർഘാസ് നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.



SPECIFICATION OF THE ITEMS

| <i>Sl.No.</i> | <i>Item with specification</i> | <i>Unit</i> | <i>Requirement for 2021-22 Year</i> |
|---------------|---|-------------|-------------------------------------|
| (1) | (2) | (3) | (4) |
| 1 | Chlorhexidine cetrimide (Savlon) 500 ml | 1 No. | 200 |
| 2 | Ecoshield (Complex formulations of stabilized H2O2 11%w/v with 0.01%w/v silver nitrate solution) 1L | 1 No. | 300 |
| 3 | Toilet cleaner 1L | 1 No. | 500 |
| 4 | Liquefied Phenol 500 ml bottle (Carbolic acid) | 1 No. | 200 |
| 5 | Liquid soap Hand Washing 500 ml | 1 No. | 200 |
| 6 | Floor Cleaning Solution 1L can | 1 No. | 500 |
| 7 | White Lotion 1L can | 1 No. | 1000 |
| 8 | Toilet brush | 1 No. | 200 |
| 9 | Wash Basin Brush | 1 No. | 100 |
| 10 | Waste Bin Pedal | 1No. | 50 |
| 11. | Wiper with Handle Metalic | 1 No. | 50 |
| 12. | Carbolic Soap 150g | 1 No. | 2000 |
| 13. | Washing Soap 150g | 1 No. | 1500 |
| 14. | Soap Powder 1Kg | 1 No. | 300 |
| 15. | Cleaning Powder 500g | 1 No. | 400 |
| 16. | Broom Coconut | 1 No. | 600 |
| 17. | Broom Grass | 1 No. | 500 |
| 18. | Moping Cloth Large | 1 No. | 1000 |

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.



4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(10)

[നമ്പർ 84/2021]

നമ്പർ സി2/29508/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 19.

തിരുവനന്തപുരം സർക്കാർ മെഡിക്കൽ കോളേജ് ഫിസിക്കൽ എഡ്യൂക്കേഷൻ വിഭാഗത്തിലേക്ക് സ്പോർട്സ് സാമഗ്രികൾ (Foot Ball, Basket Ball, Volley Ball etc.) വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തിരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011 എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,50,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം) :

ഒറിജിനൽ —₹ 840 (750+90 GST).

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 420.

നിരതദ്രവ്യം—₹ 2,500 (1%).

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—16-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—17-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ദർഘാസ് നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.



SPECIFICATION OF THE ITEMS

| <i>Name of the Item required</i> | | <i>Number of Units</i> | |
|----------------------------------|----------------------|--|----------|
| <i>Sl.No.</i> | <i>Name</i> | <i>Specification</i> | |
| (1) | (2) | (3) | (4) |
| 1 | Foot ball | Match quality 32 panel stitched construction Medium bounce and medium speed | 20 |
| 2 | Cricket ball | weight 5.5 to 5.75 (156 to 163 gram) circumference 8.81 to 9 inch (224 to 229mm) competition type four pieces of leather shaped. Perfect stitch for matches (tournament quality) | 60 |
| 3 | Volley Ball | Tournament quality | 15 |
| 4 | Table tennis Ball | White Three star | 60 |
| 5 | Shuttlecock feather | Tournament quality | 10barrel |
| 6 | Basketball size 6 | Soft rubberised moduled material All weather resistance, ideal match ball 14 panel construction Deep channel design for better drippl control | 8 |
| 7 | Basketball size 7 | Soft rubberised moduled material All weather resistance, ideal match ball 14 panel construction Deep channel design for better drippl control | 10 |
| 8 | Batting Leg Guard | Thermoplastic moulded pv knee socket for total protection. Made with premium quality PVC outer facing. Top hat aided protection. Very light weighty pads | 4pair |
| 9 | Cricket keeping glow | Tournament quality | 4 |
| 10 | Shuttle cock Nylon | Weight 4.75 to 5.50 (g) | 20barrel |
| 11 | Football ball boot | Tournament quality | 15 |
| 12 | Volleyball net | Expert fabrication for perfect fit. Impact resistant due to goodshock absorption Size L=10 H=1.0m uniform mesh size Nylon-4side tape, official specification | 3 |
| 13 | Cricket Bat | Tournament quality wood-English willow Grain 6 to 9 grains weight-1180-1250gm Handle Type-Round premium Sarawak cane. Concave edges. (Sunny Tony) | 4 |



TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-Judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(11)

[നമ്പർ 86/2021]

നമ്പർ സി3/29347/2021/എം.സി.റ്റി.

2021 നവംബർ 22.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ സർജിക്കൽ ഗാസ്ട്രോ എന്ററോളജി വിഭാഗത്തിലേക്ക് Head Lamp with LED light source (ഒരെണ്ണം) വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തീരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 3,50,000

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ —₹ 1,176

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 588.

നിരതദ്രവ്യം— ₹ 3,500.

ദർഘാസ് ഫോറം വിൽക്കപ്പെടുന്ന അവസാന തീയതിയും സമയവും—22-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—23-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—23-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

SPECIFICATION OF THE ITEMS

Head Light: Qty 1No.

1. Intensity of the light should be 1,75,000 lux or more



2. It should have double lens system with Y-fiber optic light cable with a minimum length of 280cm or more
3. Illuminated area should be adjustable from 20-80mm with a minimum working distance of 40cm.
4. Focus handle of the headlight should be removable and sterilizable
5. It should consist of fully adjustable headband with headlight and cross band with forehead cushion

Light Source: Qty 1No.

1. Should be LED cold light source
2. Light intensity should be adjustable
3. Power : 150W or more
4. Power supply : 100-240 VAC, 50/60 Hz
5. All items quoted and supplied shall be from the same manufacturer.
6. Should have safety certificate from a competent authority CE issued by a notified body registered in the European commission/FDA (US)/STQC CB Certificate/STQC S Certificate or valid detailed electrical and functional safety test report from ERTL. Copy of the certificate/ test report shall be submitted along with technical bid.
7. Should be quoted separate price for each equipments.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ദർശാൻ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടിവയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.



3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-Judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(12)

[നമ്പർ 87/2021]

നമ്പർ സി5/26591/2021/എം.സി.റ്റി.

2021 നവംബർ 23.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ആശുപത്രിയിലെ പത്തോളം വിഭാഗത്തിലേക്ക് ഇമ്മ്യൂണോ ഹിസ്റ്റോ കെമിസ്ട്രി റീഷെജന്റുകൾ (P63, Melan A etc) വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പൂരിപ്പിച്ച് വെട്ടിത്തീരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരള എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതികളിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,76,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,680 (₹ 1,500 + 180 GST)

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 840

നിരതദ്രവ്യം—₹ 5,000.

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—20-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടി വയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമായിരിക്കും.



REAGENTS KITS FOR IMMUNOHISTOCHEMISTRY

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Unit</i> | <i>Quantity</i> |
|----------------|--------------------------------|-------------|-----------------|
| 1 | P63 | 6 ml | 2 |
| 2 | Melan A | 3 ml | 1 |
| 3 | MPO | 3 ml | 1 |
| 4 | MUC2 | 3 ml | 1 |
| 5 | Myo D1 | 3 ml | 1 |
| 6 | OCT4 | 3 ml | 1 |
| 7 | KAPPA | 6 ml | 1 |
| 8 | LAMBDA | 6 ml | 1 |
| 9 | TdT | 6 ml | 1 |
| 10 | TLE | 3 ml | 1 |
| 11 | Vimentin | 6 ml | 1 |
| 12 | WT1 | 3 ml | 1 |
| 13 | Betacatenin | 3 ml | 1 |
| 14 | Brachyury | 3 ml | 1 |
| 15 | SAP Secondary Kit (1250 tests) | 100 ml | 5 kits |
| 16 | CK 19 | 6 ml | 1 |

TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.



5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed. Manuscripts should be avoided as far as possible.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.



(13)

[നമ്പർ 90/2021]

നമ്പർ സി1/19555(8)/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 26.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് ട്രാൻസ്ഫ്യൂഷൻ മെഡിസിൻ വിഭാഗം ബ്ലഡ് സെന്ററിലേക്ക് റീ-ഏജന്റ്സ് (Reagents) 90 ഇനം വാങ്ങുന്നതിലേക്ക്/വിതരണം ചെയ്യുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും വ്യക്തമായി പുരിപ്പിച്ച് വെട്ടിത്തീരുത്തലുകൾ ഇല്ലാതെ പ്രിൻസിപ്പാൾ, മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം-695 011, കേരളം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിട്ടുള്ള തീയതിയിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുത്തിരിക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 3,35,170.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,176 (₹ 1,050 + 126)

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 588

നിരതദ്രവ്യം—₹ 1% (₹ 3,352)

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—20-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി സമയത്ത് ഈ ഓഫീസിൽ അന്വേഷിച്ചാൽ അറിയാവുന്നതാണ്. ടെണ്ടർ നടപടികൾ മുന്നറിയിപ്പില്ലാതെ നീട്ടി വയ്ക്കുന്നതിനോ നിർത്തിവയ്ക്കുന്നതിനോ ഉള്ള അധികാരം പ്രിൻസിപ്പാളിൽ നിക്ഷിപ്തമാണ്.



LIST OF ITEMS

| <i>Sl. No.</i> | <i>Items</i> | <i>Quantity required</i> |
|----------------|---|--------------------------------|
| (1) | (2) | (3) |
| 1 | Serological pipette 10 ml | 200 nos/pk x 1 pk |
| 2 | Autoclavable, 1.5 ml screw cap tube with cap, Conical, Natural colour | 500 nos x 1 |
| 3 | PCR product and gel purification combo kit | 50 pr x 1 kit |
| 4 | Erlenmeyer's conical flask, Glass, graduated, narrow mouth 50 ml x 50 nos | 50 nos |
| 5 | 1.5 ml micro centrifuge tube, PP, autoclavable | 500 x 3 pk |
| 6 | 2.0 ml micro centrifuge tube, PP autoclavable | 500 x 3 pk |
| 7 | Round foam rack for 1.5 ml for 35 tubes | 2 nos |
| 8 | Nitrile gloves-large | 50 pair/pk x 5 pk |
| 9 | 0.2-10ul micro tips, PP autoclavable | 1000 nos Bulk x 05 pack |
| 10 | 2-200ul yellow micro tips, PP autoclavable | 1000 nos Bulk x 05 pack |
| 11 | 200-1000ul blue micro tips, PP autoclavable | 500 nos Bulk x 10 pack |
| 12 | Agar agar, powder research grade, molecular | 250 g x 1 pk |
| 13 | PCR polypropylene autoclavable, rack 0.2 ml with cover, 96 well | 05 nos |
| 14 | Parafilm dispenser | one pk |
| 15 | Parafilm 2' x 250' | one pk |
| 16 | 0.2 ml, sterile, PCR tube flat cap | 1000 nos x 2 pkt |
| 17 | 50 bp DNA ladder with premixed dye | 150ul x 2 vials |
| 18 | 100 bp DNA ladder with premixed dye | 150ul x 2 nos |
| 19 | Micro Spatula Double Bladed Spatula/Spoon-Stainless Steel | 13 Pcs Stainless Steel Spatula |
| 20 | Cotton (absorbent laboratory grade) | 10 rolls |
| 21 | Tissue roll, large sheets | 10 Packets |
| 22 | One step RT PCR Mix | 100 rxn |
| 23 | Amber color micro centrifuge tubes, 1.5 ml | 500 tubes x 1 pk |
| 24 | Disposable Apron | 04 Pcs |
| 25 | 5 ml micro tip box, PP autoclavable | 28 places x 1 p |
| 26 | Macro tip, 5 ml, PP, autoclavable | 100 nos x 5 pk |
| 27 | Calcium chloride, anhydrous, granular | 250g |
| 28 | Ammonium hydroxide solution, AR | 500 ml |
| 29 | Ethylene glycol | 250 ml |



| (1) | (2) | (3) |
|-----|--|--------------------|
| 30 | Potassium hydroxide pellets | 25 g |
| 31 | di-Sodium hydrogen phosphate | 250 g |
| 32 | Sodium bicarbonate (NaHCO ₃) | 500 g x 2 |
| 33 | Isopropyl alcohol | 5 litter x 2 |
| 34 | Absolute alcohol, molecular grade | 500 ml x 2 |
| 35 | Filter Paper 0.45micron, 47mm diameter, white, mixed cellulose esters. hydrophilic 100 discs | 50 nos x 1 |
| 36 | Micro tube storage rack, 1.5/2.0 ml, PC.Autoclavable, 24 places | 12 nos |
| 37 | Micro tube box, 1.5/2.0 ml, PC/LDPE, 64 Places | 8 nos |
| 38 | Test tube stand, RPP, 32 dia, 12 places | 4 nos |
| 39 | Cryobox for cryo vials, 1.8 ml capacity, 100 places, internal thread | 4 nos |
| 40 | Cryo rack, PC, Autoclavable, 50 places | 2 nos |
| 41 | Blood genomic DNA isolation kit | 50 pr x 2 |
| 42 | Blood genoinic RNA isolation kit | 50 pr x 2 |
| 43 | 1.5 ml micro centrifuge tube, PP, autoclavable | 500 x 5 pk |
| 44 | 2.0 ml micro centrifuge tube, PP, autoclavable | 500 x 5 pk |
| 45 | Pipettor stand | 3 nos |
| 46 | Dropping bottle, LDPE (60 m l) | 12 nos |
| 47 | Utility Tray (360 x 310 x 130 mm) | 6 nos |
| 48 | Wide mouth autoclavable wash bottle LDPE (500 ml) | 6 nos |
| 49 | Instruments sterilizing pan (PP Autoclavable) | 2 nos |
| 50 | Wash bottle narrow mouth, LDPE (250 ml) | 12 nos |
| 51 | Draining tray, PC, Autoclavable (400x300 x100 mm) | 6 nos |
| 52 | Pipette Aid, PP/Silicone (25 ml) | 4 nos |
| 53 | Serological pipette (25 ml) | 4 nos |
| 54 | 5 ml micro centrifuge tube, PP, autoclavable, natural | 100 x 5 pack |
| 55 | Self standing centrifuge tube, 50 ml, Sterile | Bulk, 500 x 1 pack |
| 56 | Ice bucket, (2.5 lir) | 1 nos |
| 57 | Cryo gloves (Elbow size, M) | 1 pair |
| 58 | Pasteur pipette, LDPE (1 ml) | 500 nos x 2 |
| 59 | Sterile centrifuge tube (15 ml) | 500 nos x 1 |



| (1) | (2) | (3) |
|-----|---|-----------------------|
| 60 | Stainless steel Forceps, pointed | |
| | 6 inch | 2 nos |
| | 8 inch | 2 nos |
| | 10 inch | 2 nos |
| 61 | Stainless steel scalpel holder No.3 | 4 nos |
| 62 | Sterile scalpel blade No.11 | 100 x 1 no. |
| 63 | Sterile scalpel blade No. 10 | 100 x 1 no. |
| 64 | 0.2 ml, sterile, PCR tube flat cap | 1000 nos |
| 65 | 6x gel loading dye, two dye based with glycerol | 1 ml x 12 vials |
| 66 | 50bp DNA ladder with premixed dye | 150ul x 1 vials |
| 67 | 100bp DNA ladder M-with premixed dye | 150ul x 3 vials |
| 68 | MgSO ₄ (magnesium sulfate) | 500 g x 1 |
| 69 | Agarose low melting point | 10 g x 1k |
| 70 | PCR Master mix | 200 rxn x 2 |
| 71 | Methylene blue powder | 50 g x 1 pk |
| 72 | Nitrile glove (medium) | 100 x 05 pack |
| 73 | Aluminium Foil 9 MTR | 2 nos |
| 74 | Cotton | 04 rolls |
| 75 | Semiscirted 96 well plate x 0.2 ml, autoclavable | 10 numbers |
| 76 | EDTA | 500 mg |
| 77 | TRIS Base | 500 mg |
| 78 | Glacial acetic acid | 500 ml |
| 79 | Citric acid | 500 g x 1 pack |
| 80 | Eosin | 25 g |
| 81 | Hematoxylin | 5 g |
| 82 | Dibasic sodium phosphate anhydrous | 500 g |
| 83 | Vacutainer EDTA | 500 nos |
| 84 | Vacutainer Plain | 500 nos |
| 85 | Non vacuum K3 EDTA vial 4 ml | 500 nos |
| 86 | Red capped plain vial without clot activator 4 ml | 500 nos |
| 87 | Glass bottle | 500 ml x 10 |
| 88 | Glass bottle | 1000 ml x 0 |
| 89 | Measuring cylinder | 500 ml x 10 |
| 90 | Measuring cylinder | 100 ml x 10 |
| | | Total-3,35,170 |



TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiations will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College,
Thiruvananthapuram.

(Sd.)
Principal.



പുനർ ദർഘാസ് പരസ്യം

[നമ്പർ 26/2021]

നമ്പർ സി8/6380/2021/ജി.എം.സി.റ്റി.

2021 നവംബർ 23.

തിരുവനന്തപുരം മെഡിക്കൽ കോളേജ് യൂറോളജി വിഭാഗത്തിലേക്ക് Stone Punch എന്ന ഉപകരണം വാങ്ങുന്നതിലേക്ക് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസ് അടക്കം ചെയ്യുന്ന കവറിനു മുകളിൽ ദർഘാസ് നമ്പർ എഴുതേണ്ടതും പ്രിൻസിപ്പാൾ, സർക്കാർ മെഡിക്കൽ കോളേജ്, തിരുവനന്തപുരം എന്ന വിലാസത്തിൽ അയയ്ക്കേണ്ടതുമാണ്. ദർഘാസുകൾ താഴെ ചേർത്തിരിക്കുന്ന തീയതികളിലും സമയത്തും അപ്പോൾ ഹാജരായിട്ടുള്ള ദർഘാസ് സമർപ്പിച്ചവരുടെയോ അവർ ചുമതലപ്പെടുത്തിയിട്ടുള്ള പ്രതിനിധികളുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. വൈകി കിട്ടുന്ന ദർഘാസുകൾ പരിഗണിക്കുന്നതല്ല.

ദർഘാസ് സമർപ്പിക്കുവാൻ താൽപര്യമുള്ളവർ മെഡിക്കൽ കോളേജ് ഓഫീസിൽ അപേക്ഷിക്കുന്ന പക്ഷം ആവശ്യമായ ദർഘാസ് ഫോറങ്ങൾ താഴെ കൊടുക്കുന്ന പ്രകാരം തുക അടച്ചാൽ ലഭിക്കുന്നതാണ്. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യാൻ പാടുള്ളതല്ല. ചെക്കുകൾ, പോസ്റ്റേജ് സ്റ്റാമ്പ്, ഡിമാന്റ് ഡ്രാഫ്റ്റ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല. ദർഘാസ് ഫോറം വി.പി.പി. ആയി അയയ്ക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 4,15,000.

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം):

ഒറിജിനൽ—₹ 1,394 (₹ 1,245+149)

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 697

നിരതദ്രവ്യം—₹ 4,150

ദർഘാസ് ഫോറം വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—20-12-2021, 3 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—21-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—21-12-2021, 3 മണി.

ദർഘാസ് നിരക്ക് പ്രാബല്യത്തിലിരിക്കുന്ന തീയതി—31-3-2022.

| സാധനങ്ങളുടെ പേര് | യൂണിറ്റ് | അളവ് |
|--|----------|------|
| STONE PUNCH | എണ്ണം | 1 |
| Specification | | |
| 1. Punch Sheath, with Central Valve, 25 Fr, Straight beak consisting of Punch Sheath, Obturator Connecting Tube for In and Outflow | | |
| 2. Punch Working Element | | |
| 3. Sheath insert, with Channel for Flexible Instruments, 7 Fr. Wit atraumatic beak of Urethrosocopy, with two seals. | | |



RE-TENDER SCHEDULE

1. The period for which the rates to be in firm—One year.
2. The rates should be inclusive of sales tax and for free delivery at the department concerned, otherwise the tender will be rejected.
3. Advance payments conditions will not be considered.
4. Tender forms are neither transferable nor the cost of it will be refundable under any circumstances.
5. Tenders are to be sent with details and illustrated pamphlet (wherever necessary) neatly typed.
6. Tenders should be accompanied with a formal agreement executed in ₹ 200 Kerala non-judicial-Stamp Paper together with required sum of Earnest Money Deposits.
7. Earnest Money Deposits (One Percentage) of the total cost of the articles quoted for can be remitted by way of crossed Demand Drafts drawn in favour of the Principal, Government Medical College, Thiruvananthapuram.
8. Firms will be exempted from furnishing Earnest Money Deposit if they had produced the duly attested copies of relevant certificate along with their tenders.
9. Tenders unsealed, unsigned or submitted without superscription as specified are liable to be rejected.
10. Tenders submitted with insufficient Earnest Money Deposit will not be entertained.
11. Belated tenders will not be considered under any circumstances.
12. For Medicines, Surgicals and Materials, Samples should be submitted along with the tender. Tenders without samples will not be considered for selection.
13. Tenders should bear the signature and full postal address of the tenderers wherever necessary.
14. The undersigned reserves the right to reject any tender wholly or partially without any prior information to the tenderers.
15. Specifications of the items are given in the list.
16. Negotiation will be made only with the firm offering lowest price whose specification conform to the requirements in the tender notification.
17. Tender will be opened in the presence of such of the tenderers or his authorized representatives who may present at the time. They should have valid authorization letters.
18. More details can be had from this office on working hours.
19. Amount quoted should be in Indian Rupees.

Govt. Medical College,
Thiruvananthapuram.

(Sd.)
Principal



(1)

ദർഘാസ് പരസ്യം

[നമ്പർ 7/2021]

നമ്പർ സി2/5345/2021/ജി.എം.സി. കൊല്ലം.

2021 നവംബർ 16.

കൊല്ലം സർക്കാർ മെഡിക്കൽ കോളേജിലെ അനസ്തേഷ്യ വിഭാഗത്തിലേക്കായി ആവശ്യമായ താഴെപ്പറയുന്ന സാധനങ്ങൾ വിതരണം ചെയ്യുന്നതിന് നിശ്ചിത ഫോറത്തിൽ മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിക്കുന്നു. ദർഘാസുകൾ ദർഘാസ് നമ്പരോടുകൂടി നിശ്ചിത തീയതിക്കുമുമ്പ് പ്രിൻസിപ്പാൾ, ഗവ. മെഡിക്കൽ കോളേജ്, കൊല്ലം-691 574 എന്ന വിലാസത്തിൽ എത്തിച്ചിരിക്കേണ്ടതാണ്.

സാധനങ്ങളുടെ പേര്—കൺസ്യൂമബിൾസ്

ഡിപ്പാർട്ട്മെന്റ്—അനസ്തേഷ്യ വിഭാഗം

അടങ്കൽ തുക—₹ 2,63,500

നിരതദ്രവ്യം—0.1%

ദർഘാസ് ഫോറത്തിന്റെ വില (നികുതി സഹിതം).

ഒറിജിനൽ—₹ 900

ഡ്യൂപ്ലിക്കേറ്റ്—₹ 500

ദർഘാസ് ഫോറം വിരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 2.30 മണി.

ദർഘാസ് ഫോറം സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—18-12-2021, 2.30 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—18-12-2021, 3 മണി.

ഫോറങ്ങൾ തപാലിൽ വേണ്ടവർ അയയ്ക്കുന്നതിനുവേണ്ട തുക (₹ 50) അധികമായി അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില ഓഫീസിൽ നേരിട്ടോ മണിയോർഡർ ആയോ സ്വീകരിക്കുന്നതാണ്. അല്ലാതെയുള്ള എല്ലാ അപേക്ഷകളും നിരസിക്കുന്നതാണ്. ഫോറത്തോടൊപ്പം മുദ്രപത്രങ്ങളോ മറ്റേതെങ്കിലും ഡോക്യുമെന്റുകളോ അയയ്ക്കാൻ ആവശ്യപ്പെട്ടുകൊണ്ടുള്ളതും മേൽവിലാസം വ്യക്തമല്ലാത്തതുമായ മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. മണിയോർഡറുകൾ വഴി ഫോറങ്ങൾ ആവശ്യപ്പെട്ടുകൊണ്ടുള്ള അപേക്ഷകൾ ഈ ഓഫീസിൽ 13-12-2021-നു മുമ്പ് കിട്ടിയിരിക്കണം. താമസിച്ച് കിട്ടുന്ന മണിയോർഡറുകൾ നിരസിക്കുന്നതാണ്. ദർഘാസ് ഫോറം കൈമാറാൻ പാടില്ലാത്തതും ഒരിക്കൽ അടച്ച തുക തിരിച്ചുകിട്ടുന്നതുമല്ല. താമസിച്ച് കിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല. കൂടുതൽ വിവരങ്ങൾ പ്രവൃത്തി ദിവസങ്ങളിൽ ഈ ഓഫീസിൽ നിന്നും ലഭിക്കുന്നതാണ്.

[No. 7/2021]

No. C2/5345/2021/GMCKLM.

16th November 2021.

Sealed competitive tenders in the Prescribed form are invited for the supply of the following items required for the department of Anaesthesia, Government Medical College, Kollam.

Tender should be superscribed with tender number and addressed to the principal, Medical College, Kollam. Pin-691 574. Details can be had from this office on working hours till 5 p.m.

Name of Item—Consumables

Department—Anesthesia

Total Cost—₹ 2,63,500.



EMD—1%

Cost of tender form (Original)—₹ 900

Duplicate—₹ 500

Last date of sale of tender form—17-12-2021, 2.30 p. m.

Last date of receipt on tender form—18-12-2021, 2.30 p. m.

Opening date and time—18-2-2021, 3 p. m.

Tender form will be sent through post if required provided due amount with sufficient postage charge ₹ 50 is sent by way of money order in favour of the Principal, Government Medical College, Kollam Pin-691 574. Money order should reach this office on or before 13-12-2021. No other forms of remittance will be accepted.

CONSUMABLES

| <i>Sl. No.</i> | <i>Item Description</i> | <i>Specification</i> | <i>Quantity</i> |
|----------------|-------------------------|----------------------|-----------------|
| (1) | (2) | (3) | (4) |
| 1 | I gel | Size 1 | 1 |
| 2 | I gel | Size 2 | 1 |
| 3 | I gel | Size 3 | 2 |
| 4 | I gel | Size 4 | 2 |
| 5 | LMA disposable | Size 1 | 2 |
| 6 | LMA disposable | Size 1.5 | 2 |
| 7 | LMA disposable | Size 2 | 2 |
| 8 | LMA disposable | Size 3 | 5 |
| 9 | LMA disposable | Size 4 | 5 |
| 10 | Bain S Circuit | | 20 |
| 11 | Jackson Reez circuit | | 5 |
| 12 | Anatomical face mask | Size 1 Transparent | 2 |
| 13 | Anatomical face mask | Size 2 Transparent | 2 |
| 14 | Anatomical face mask | Size 3 Transparent | 10 |
| 15 | Anatomical face mask | Size 4 Transparent | 10 |
| 16 | Anatomical face mask | Size 5 Transparent | 5 |
| 17 | RBS mask | Size 0 | 6 |
| 18 | RBS mask | Size 1 | 7 |
| 19 | RBS mask | Size 2 | 7 |
| 20 | Guedels Oral airway | Size 0 | 3 |
| 21 | Guedels Oral airway | Size 1 | 3 |
| 22 | Guedels Oral airway | Size 2 | 4 |
| 23 | Guedels Oral airway | Size 3 | 10 |



| (1) | (2) | (3) | (4) |
|-----|-----------------------|------------------------------|-----|
| 24 | Guedels Oral airway | Size 4 | 10 |
| 25 | Guedels Oral airway | Size 5 | 10 |
| 26 | Nasopharyngeal airway | Transparent Size 6 | 5 |
| 27 | Nasopharyngeal airway | Transparent Size 6.5 | 5 |
| 28 | Nasopharyngeal airway | Transparent Size 7 | 5 |
| 29 | Nasopharyngeal airway | Transparent Size 7.5 | 5 |
| 30 | Venturi mask | Blue | 1 |
| 31 | Venturi mask | White | 1 |
| 32 | Venturi mask | Orange | 2 |
| 33 | Venturi mask | Yellow | 2 |
| 34 | Venturi mask | Red | 2 |
| 35 | Venturi mask | Green | 2 |
| 36 | Oxygen mask | Adult | 50 |
| 37 | Oxygen mask | Pediatric | 10 |
| 38 | RAE tube | Size 3.5, Oral south pole | 3 |
| 39 | RAE tube | Size 4, Oral south pole | 3 |
| 40 | RAE tube | Size 4.5, Oral south pole | 3 |
| 41 | RAE tube | Size 5, Oral south pole | 3 |
| 42 | RAE tube | Size 5.5, Oral south pole | 3 |
| 43 | RAE tube | Size 6, Oral south pole | 3 |
| 44 | RAE tube | Size 6.5, Oral south pole | 3 |
| 45 | RAE tube | Size 7, Oral south pole | 3 |
| 46 | RAE tube | Size 6, Nasal north pole | 2 |



| (1) | (2) | (3) | (4) |
|-----|---------------------------------------|-------------------------------|-----|
| 47 | RAE tube | Size 6.5, Nasal north pole | 2 |
| 48 | RAE tube | Size 7, Nasal north pole | 2 |
| 49 | Microlaryngeal tube | Size 5 | 2 |
| 50 | Microlaryngeal tube | Size 5.5 | 2 |
| 51 | Microlaryngeal tube | Size 6 | 4 |
| 52 | Microlaryngeal tube | Size 6.5 | 4 |
| 53 | T Piece | | 10 |
| 54 | Cathetre mount | | 10 |
| 55 | Pressure monitoring extension line | | 20 |
| 56 | SPO2 finger probe | For mutipar monitor | 10 |
| 57 | Figer probe extension | For mutipara monitor | 5 |
| 58 | NIBP cuff for mutipara monitor | Size adult | 10 |
| 59 | Pressure infuser bag | 1.5 Litre | 2 |
| 60 | Gum elastic bougie | | 5 |

Govt. Medical College,
Parippaly, Kollam.

(Sd.)
Principal



Police Department**TENDER NOTICE**

[No. 1/2021-2022]

No. E3-13241/2021/KEPA.

22nd November 2021.

Sealed competitive tenders are invited from the eligible vendors for the supply of Chilly Grinding Machine for Kerala Police Academy, Thrissur.

Due date and time for receipt of Tender—18-12-2021, 2.30 p.m., KEPA.

Date and time for opening of Tender—18-12-2021, 3.30 p.m., KEPA.

Date up to which the rates are to remain firm for acceptance—31-3-2022.

Designation and address of officer to whom the quotation is to be addressed—Director, Kerala Police Academy, Thrissur.

Superscription—D/S Double Head both side Heavy Duty (BH-5) w/o motor 10 HP motor (1440 RPM)-IE2.

The envelope containing the Tender should bear superscription “Tenders for the supply of Chilly grinding machine for Kerala Police Academy, Thrissur” and should be addressed to Director, Kerala Police Academy, Ramavarmapuram, Thrissur. Last date for the receipt of tenders will be at 2.30 p.m. on 18-12-2021. Late tenders will not be accepted. The tenders will be opened at 3.30 p.m. on 18-12-2021 in the presence of such of the tenderers or their authorized representatives who may be present at that time. This will be followed by a technical evaluation of the samples, as well as by a financial evaluation of the technically qualified tenders by committees to be decided by the Director, Kerala Police Academy. All tenderers will have the opportunity of being present on all the three occasions.

1. Intending tenderers should quote the rate inclusive of all taxes. Tenderer should supply the required items as and when demanded by supply order from this office. In case the selected tenderer fails to provide the item, including of the specified quality, within the stipulated time frame, including grace period (if any), the tenderer will be blacklisted from participating in any tender for the next three years.

2. No representation for the enhancement of the price once accepted will be considered.

3. Any attempt on the part of tenderers or their agents to influence the officers concerned in their favour by personal canvassing will disqualify the tenderers.

4. Grade/Quality of Items may be clearly noted in the tender.



5. Special conditions if any, attended with the tenders of the tenderer will not be applicable to the contract.

6. If any license or permit is required, tenderer must specify in their tender and also state the authority to which application is to be made.

7. Withdrawal from the tender after it is accepted or failure to execute agreement within a period of 15 days from the date of acceptance of order will entail cancellation of the order forfeiting the EMD and supply being entrusted to another firm.

Intending tenderers may download tender form from the website www.keralapolice.gov.in. on which tenders should be submitted. Cost of tender form ie ₹ 400 + GST 12% ₹ 48 should be remitted in any Govt. treasury and the receipt should be attached along with Tender. The tender forms are not transferable. A bond in stamp paper worth ₹ 200 should be enclosed with the Tenders agreeing to follow all the terms and conditions stipulated by the Kerala Police Academy, Thrissur in the Tender document with regard to supply of Chilly Grinding Machine.

Director, Kerala Police Academy, Thrissur reserves the right to reject all or any of the tenders without assigning any reason what so ever and the decision of the Director, Kerala Police Academy in regard to the acceptance or rejection of the Tender shall be final. In case the last date fixed for the receipt of the Tenders happened to be a holiday, the Tenders will be opened on the next working day at 3.30 p.m. by the Director, Kerala Police Academy or his nominee to finalize the same without any further intimation. Tender form without EMD and agreement will be rejected.

Cost of Tender Form (Original)—₹ 400 + ₹ 48 (12% GST).

Last date of receipt of Tenders—at 2.30 p.m. on 18-12-2021.

Place and date of opening of Tenders—KEPA, at 3.30 p.m. on 18-12-2021.

EMD—₹ 1,500.

Kerala Police Academy,
Thrissur.

P. VIJAYAN, IPS,
Director (i c).



Printing Department**e-TENDER NOTICES**

(1)

[No. 66/2021-22]

No. 21519/2021/G4.

27th November 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of Sheetfed (Quickset) Process Ink.

For more details please see the Kerala Government e-procurement web portal.

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Quantity</i> | <i>Unit</i> |
|----------------|-------------------------------------|-----------------|-------------|
| 1 | Sheetfed (Quickset) Process Yellow | 200 | Kg. |
| 2 | Sheetfed (Quickset) Process Cyan | 200 | Kg. |
| 3 | Sheetfed (Quickset) Process Magenta | 200 | Kg. |
| 4 | Sheetfed (Quickset) Process Black | 210 | Kg. |

Total Estimated Cost—₹ 5,72,880.

Cost of tender form—₹ 1,200 + G. S. T. @ 18%.

EMD @ 1% Estimated Cost—₹ 5,729.

Last date of application—18-12-2021, 5 p. m.

Date and time of opening—20-12-2021, 11 a. m.

GENERAL CONDITIONS

1. Bidder shall be made submit the EMD/Bid Security as per G. O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption should produce documentary evidence for the same.
2. Rate quoted should be inclusive of all taxes and other charges including transportation, loading and unloading installation charges for Department Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of the Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.
5. The item should be supplied on running contract basis and when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.



7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 year).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorized dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udhog Aadhaar Registration.

(2)

[No. 67/2021-22]

No. 23520/2021/G4.

27th November 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of Web Offset Ink.

For more details please see the Kerala Government e-procurement web portal.

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Quantity</i> | <i>Unit</i> |
|----------------|----------------------|-----------------|-------------|
| 1 | Web Offset Yellow | 1200 | Kg. |
| 2 | Web Offset Cyan | 1000 | Kg. |
| 3 | Web Offset Magenta | 1000 | Kg. |
| 4 | Web Offset Black | 1150 | Kg. |

Total Estimated Cost—₹ 9,86,832.

Cost of tender form—₹ 1,500 + G. S. T. @ 18%.

EMD @ 1% Estimated Cost—₹ 9,868.

Last date of application—18-12-2021, 5 p. m.

Date and time of opening—20-12-2021, 11 a. m.



GENERAL CONDITIONS

1. Bidder shall be made submit the EMD/Bid Security as per G. O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption should produce documentary evidence for the same.
2. Rate quoted should be inclusive of all taxes and other charges including transportation, loading and unloading installation charges for Department Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of the Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.
5. The item should be supplied on running contract basis and when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.
7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 year).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorized dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udhog Aadhaar Registration.

(3)

[No. 63/2021-22]

No. 21341/2021/G4.

29th November 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of Web Offset Stallion Ink.

For more details please see the Kerala Government e-procurement web portal.

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Quantity</i> | <i>Unit</i> |
|----------------|-----------------------------|-----------------|-------------|
| 1 | Web Offset Stallion Yellow | 400 | Kg. |
| 2 | Web Offset Stallion Magenta | 400 | Kg. |
| 3 | Web Offset Stallion Cyan | 600 | Kg. |
| 4 | Web Offset Stallion Black | 800 | Kg. |



Total Estimated Cost—₹ 5,37,152.

Cost of tender form—₹ 1,100 + G. S. T. @ 18%.

EMD @ 1% Estimated Cost—₹ 5,372.

Last date of application—18-12-2021, 5 p. m.

Date and time of opening—20-12-2021, 11 a. m.

GENERAL CONDITIONS

1. Bidder shall be made the EMD/Bid Security as per G. O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption should produce documentary evidence for the same.
2. Rate quoted should have inclusive of all taxes and other charges including loading, transportation, unloading, installation charges for Department Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.
5. The item should be supplied on running contract basis and when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.
7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 years).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorized dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udyog Aadhaar Registration.



(4)

[No. 64/2021-22]

No. 23518/2021/G4.

29th November 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of Sheetfed Book Black Ink.

For more details please see the Kerala Government e-procurement web portal.

Name of Items—Sheetfed Book Black Ink.

Quantity—4350Kg.

Total Estimated Cost—₹ 9,64,656.

Cost of tender form—₹ 1,500 + G. S. T. @ 18%.

EMD @ 1% Estimated Cost—₹ 9,647.

Last date of application—18-12-2021, 5 p. m.

Date and time of opening—20-12-2021, 11 a. m.

GENERAL CONDITIONS

1. Bidder shall be made submit the EMD/Bid Security as per G.O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption should produce documentary evidence for the same.
2. Rate quoted should be inclusive of all taxes and other charges including transportation, loading and unloading installation charges for Department Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of the Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.
5. The item should be supplied on running contract basis and when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.
7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 year).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorized dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udyog Aadhaar Registration.



(5)

[നമ്പർ 71/2021-22]

നമ്പർ 21812/2021/ജി4.

2021 ഡിസംബർ 3.

സർക്കാർ അച്ചുക്കുടങ്ങളിലേക്ക് ട്രേസിംഗ് ഷീറ്റുകൾ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ 15-12-2021 ഉച്ചയ്ക്ക് 1 മണി വരെ സ്വീകരിക്കുന്നതും അന്നേദിവസം 3 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. ദർഘാസ് അയയ്ക്കുന്ന കവറിനു മുകളിൽ “ദർഘാസ് നമ്പർ 71/2021-22, ട്രേസിംഗ് ഷീറ്റുകൾ വിതരണം സംബന്ധിച്ച്” എന്ന് ഉപലേഖനം ചെയ്തിരിക്കണം. താമസിച്ചു കിട്ടുന്ന ക്വട്ടേഷനുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 2,85,560

ദർഘാസുകൾ നിർദ്ദിഷ്ട ഫോറത്തിൽ സാമ്പിൾ സഹിതം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ ₹ 600 + ജി.എസ്.ടി. 12% നിരക്കിലും ഡ്യൂപ്ലിക്കേറ്റ് ₹ 300 + ജി.എസ്.ടി. 12% നിരക്കിലും തിരുവനന്തപുരം ഗവൺമെന്റ് സെൻട്രൽ പ്രസ്സിൽ നിന്നും നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകരിക്കുകയോ ഫോറം വി.പി.പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടില്ലാത്തതാണ്. ₹ 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ എഗ്രിമെന്റും മൊത്തം തുകയുടെ 1% നിരതദ്രവ്യവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. അല്ലാത്തവ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

സാധന സാമഗ്രികൾ

1. ട്രേസിംഗ് ഷീറ്റ് എ4 (Double side matt)—50000 എണ്ണം
2. ട്രേസിംഗ് ഷീറ്റ് എ3 (Double side matt)—25000 എണ്ണം

[No. 71/2021-22]

No. 21812/2021/G4.

3rd December 2021.

Sealed tenders superscribed as Tender No. 71/2021-22 for the supply of Tracing Sheets are invited by the undersigned. The tenders along with samples should reach this office on or before 15-12-2021 at 1 p. m. and the same will be opened at 3 p. m. on the same day in the presence of tenderers or their authorized representatives who may be present at that time. Tenders shall be submitted in the prescribed form which can be had from the office of the undersigned on cash payment of ₹ 600 + GST @ 12% for original form and ₹ 300 + GST @ 12% for duplicate. Cheque, Demand Draft, Postage Stamps, Postal Orders etc. will not be accepted towards the cost of forms nor will the forms be sent by V. P. P. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 15-12-2021. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tenders. Late tenders and tenders not accompanied by Earnest Money Deposit @ 1% of total cost and preliminary agreement in Kerala Stamp Paper worth ₹ 200 will not be accepted on any account. PAC will be ₹ 2,85,560.

Name and designation of the officer to whom the tenders are to be submitted—Shibu, A. T., Director of Printing, Govt Central Press, Tvp. m.

Name of Office—Directorate of Printing, Govt. Central Press, Tvp. m.



Name of Items

1. Tracing Sheet A4 (Double side matt)—50000 Nos.
2. Tracing Sheet A3 (Double side matt)—25000 Nos.

GENERAL CONDITIONS

1. The rate quoted should be inclusive of all taxes, transportation, loading and unloading expenses f.o.r. Government Central Press, Thiruvananthapuram.
2. Samples should be supplied.
3. The item should be supplied within 7 days on the receipt of confirmation.
4. The payment will be made only after satisfactory receipt and survey reports.
5. Bank details should be furnished in the Bill.
6. The rates should be valid upto 31-3-2022.
7. The purchaser has the right to cancel the supply order at any time without assigning any reason.

(2)

[നമ്പർ 73/2021-22]

നമ്പർ 21811/2021/ജി4.

2021 ഡിസംബർ 3.

സർക്കാർ അച്ചുകൂടങ്ങളിലേക്ക് ഡാംപനിംഗ് ഫോസ് 210 എം. എം., 500 മീറ്റർ വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. ദർഘാസുകൾ 15-12-2021 ഉച്ചയ്ക്ക് 1 മണി വരെ സ്വീകരിക്കുന്നതും അന്നേദിവസം 3 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. ദർഘാസ് അയയ്ക്കുന്ന കവറിനു മുകളിൽ “ദർഘാസ് നമ്പർ 73/2021-22, ഡാംപനിംഗ് ഫോസ് വിതരണം സംബന്ധിച്ച്” എന്ന് ഉപലേഖനം ചെയ്തിരിക്കണം. താമസിച്ച് കിട്ടുന്ന ക്വട്ടേഷനുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 1,15,920.

ദർഘാസുകൾ നിർദ്ദിഷ്ട ഫോറത്തിൽ സാമ്പിൾ സഹിതം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ ₹ 400 + ജി.എസ്.ടി. 12% നിരക്കിലും ഡ്യൂപ്ലിക്കേറ്റ് ₹ 200 + ജി.എസ്.ടി. 12% നിരക്കിലും തിരുവനന്തപുരം ഗവൺമെന്റ് സെൻട്രൽ പ്രസ്സിൽ നിന്നും നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകരിക്കുകയോ ഫോറം വി.പി.പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടില്ലാത്തതാണ്. ₹ 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ എഗ്രിമെന്റും മൊത്തം തുകയുടെ 1% നിരതദ്രവ്യവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. അല്ലാത്തവ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.



[No. 73/2021-22]

No. 21811/2021/G4.

3rd December 2021.

Sealed tenders superscribed as Tender No. 73/2021-22 for the supply of Dampening Hose 210mm, 500 metre is invited by the undersigned. The tenders along with samples should reach this office on or before 15-12-2021 at 1 p. m. and the same will be opened at 3 p. m. on the same day in the presence of tenderers or their authorized representatives who may be present at that time. Tenders shall be submitted in the prescribed form which can be had from the office of the undersigned on cash payment of ₹ 400 + GST @ 12% for original form and ₹ 200 + GST @ 12% for duplicate. Cheque, Demand Draft, Postage Stamps, Postal Orders etc. will not be accepted towards the cost of forms nor will the forms be sent by V. P. P. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 15-12-2021. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tenders. Late tenders and tenders not accompanied by Earnest Money Deposit @ 1% of total cost and preliminary agreement in Kerala Stamp Paper worth ₹ 200 will not be accepted on any account. PAC will be ₹ 1,15,920.

Name and designation of the officer to whom the tenders are to be submitted—Shibu, A. T., Director of Printing, Govt Central Press, Tvpm.

Name of Office—Directorate of Printing, Govt. Central Press, Tvpm.

GENERAL CONDITIONS

1. The rate quoted should be inclusive of all taxes, transportation, loading and unloading expenses f.o.r. Government Central Press, Thiruvananthapuram.
2. Samples should be supplied.
3. The item should be supplied within 7 days on the receipt of confirmation.
4. The payment will be made only after satisfactory receipt and survey reports.
5. Bank details should be furnished in the Bill.
6. The rates should be valid upto 31-3-2022.
7. The purchaser has the right to cancel the supply order at any time without assigning any reason.

Govt. Central Press,
Thiruvananthapuram.

(Sd.)
Superintendent.



RE-e-TENDER NOTICE

[No. 69/2021-22.]

(1)

No. 15335/2021/G4.

1st December 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of CTP Thermal Plates and Chemicals.

For more details please see the Kerala Government e-procurement web portal.

| <i>Sl No.</i> | <i>Name of Items</i> | <i>Quantity</i> |
|---------------|--------------------------------------|-----------------|
| 1. | 770 × 927 × 0.28mm CTP (Thermal) | 1000 Nos. |
| 2. | 608 × 914 × 0.28mm CTP Web (Thermal) | 1600 Nos. |
| 3. | Thermal Developer | 200 Ltr. |

Total Estimated Cost—₹ 9,39,658.

EMD @ 1% estimated cost—₹ 9,397.

Cost of tender form—₹ 1,500 + G. S. T. @ 18%.

Last date and time of application—14-12-2021, 5 p. m.

Date and time of opening—16-12-2021, 11 a. m.

General Conditions

1. Bidder shall be made the EMD/Bid Security as per G. O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption documentary evidence for the same.
2. The rate quoted should have inclusive of all taxes and other charges including loading, unloading, transportation, charges for Department Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of the Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.



5. The item should be supplied as when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.
7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 year).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorised dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udhog Aadhaar Registration.

(2)

[No. 70/2021-22]

No. 19064/2021/G4.

2nd December 2021.

The Director of Printing, Government Central Press, Thiruvananthapuram-695 001 (0471-2331458) invites on behalf of Printing Department for the purchase of CTP Violet Plates & Chemicals..

For more details please see the Kerala Government e-procurement web portal.

| <i>Sl. No.</i> | <i>Name of Items</i> | <i>Quantity</i> |
|----------------|---------------------------------------|-----------------|
| 1 | 770 × 927 × 0.28mm (Violet) | 1000 Nos. |
| 2 | 608 × 914 × 0.28mm (Violet) Manugraph | 1500 Nos. |
| 3 | 608 × 890 × 0.28mm (Violet) Orient | 1000 Nos. |
| 4 | Viostar Replenisher | 100 Ltr. |
| 5 | Viostar Developer | 250 Ltr. |



Total Estimated Cost—₹ 12,61,302.

Cost of tender form—₹ 1,900 + G. S. T. @ 18%.

EMD @ 1% Estimated Cost—₹ 12,613.

Last date and time of application—14-12-2021, 5 p. m.

Date and time of opening—16-12-2021, 11 a. m.

General Conditions

1. Bidder shall submit the EMD/Bid Security as per G. O. (P) No. 3/2013/SPD dated 21-6-2013. If availing EMD exemption documentary evidence for the same should be produced.
2. Rate quoted should have inclusive of all taxes and other charges including loading, transportation, unloading charges for General Store, Government Central Press, Thiruvananthapuram.
3. Sample should be produced on or before the last date of e-tender to the Office of the Director of Printing.
4. Payment will be made only after satisfactory receipt and supply of items.
5. The item should be supplied on running contract basis and when required within 7 days with effect from the date of receipt of the Supply Order.
6. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tender.
7. The tenderer should produce documentary evidence in proof of the following:—
 - (a) A short list of the previous major supplies (2 year).
 - (b) Performance Certificate from reputed customers.
8. All conditions laid down in KFC Form 14 should be completed in the agreement.
9. The purchaser has the right to cancel the supply order at any time without assigning any reason.
10. The rate quoted should be remain the same up to 31-3-2022.
11. Dealers participated in tender should enclose authorization letter from original manufactures regarding authorized dealer.
12. The items should be supplied on running contract basis.
13. MSME should submit document relations to Udhayog Aadhaar Registration.

Govt. Central Press,
Thiruvananthapuram.

(Sd.)
Superintendent.



(3)

പുനർ ദർഘാസ് പരസ്യം

[നമ്പർ 74/2021-22]

നമ്പർ 19067/2021/ജി4.

2021 ഡിസംബർ 8.

സർക്കാർ അച്ചുകൂടങ്ങളിലേക്ക് ടിൻ ലൂപ്പ് വയർ 14. 3 എം. എം. (ബ്ലാക്ക് കളർ-19 റോൾ) വിതരണം ചെയ്യുന്നതിന് മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു. പുനർ ദർഘാസുകൾ 18-12-2021 ഉച്ചയ്ക്ക് 1 മണിവരെ സ്വീകരിക്കുന്നതും അന്നേ ദിവസം 3 മണിക്ക് ദർഘാസുകാരുടെയോ അവർ ചുമതലപ്പെടുത്തിയ ഏജന്റുമാരുടെയോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതുമാണ്. ദർഘാസ് അയയ്ക്കുന്ന കവറിനു മുകളിൽ “ദർഘാസ് നമ്പർ 74/2021-22 ടിൻ ലൂപ്പ് വയർ വിതരണം സംബന്ധിച്ച്” എന്ന് ഉപലേഖനം ചെയ്തിരിക്കണം. താമസിച്ചുകിട്ടുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

അടങ്കൽ തുക—₹ 1,16,708.

ദർഘാസുകൾ നിർദ്ദിഷ്ട ഫോറത്തിൽ സാമ്പിൾ സഹിതം സമർപ്പിക്കേണ്ടതാണ്. ദർഘാസ് ഫോറങ്ങൾ ₹ 400 + ജി.എസ്.റ്റി. 12 % നിരക്കിലും ഡ്യൂപ്ലിക്കേറ്റ് ₹ 200 + ജി.എസ്.റ്റി. 12% നിരക്കിലും തിരുവനന്തപുരം ഗവൺമെന്റ് സെൻട്രൽ പ്രസ്സിൽ നിന്നും നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റൽ ഓർഡർ, തപാൽ സ്റ്റാമ്പ് എന്നിവ സ്വീകരിക്കുകയോ ഫോറം വി.പി.പി. ആയി അയയ്ക്കുകയോ ചെയ്യുന്നതല്ല. ദർഘാസ് ഫോറങ്ങൾ കൈമാറ്റം ചെയ്യുവാൻ പാടില്ലാത്തതാണ്. ₹ 200 വിലയുള്ള കേരള സർക്കാർ മുദ്രപത്രത്തിൽ എഗ്രിമെന്റും മൊത്തം തുകയുടെ 1% നിരതദ്രവ്യവും ദർഘാസിനോടൊപ്പം സമർപ്പിക്കേണ്ടതാണ്. അല്ലാത്തവ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

വിലനിജമായിരിക്കേണ്ട തീയതി—31-3-2022.

[No. 74/2021-22]

No. 19067/2021/G4.

8th December 2021.

Sealed tenders superscribed as Re-Tender No. 74/2021-22 for the supply of Twin loop wire is invited by the undersigned. The tenders along with samples should reach this office on or before 18-12-2021 at 1 p.m. and the same will be opened at 3 p. m. on the same day in the presence of tenderers or their authorized representatives who may be present at that time. Tenders shall be submitted in the prescribed form which can be had from the office of the undersigned on cash payment of ₹ 400 + GST @ 12% for original form and ₹ 200 + GST @ 12% for duplicate. Cheque, Demand Draft, Postage Stamps, Postal Orders etc. will not be accepted towards the cost of forms nor will the forms be sent by V.P.P. The tender forms are not transferable. Sale of tender forms will be closed at 12 Noon on 18-12-2021. An agreement in Kerala Stamp Paper worth ₹ 200 should be executed along with the tenders. Late tenders and tenders not accompanied by Earnest Money Deposit @ 1% of total cost and preliminary agreement in Kerala Stamp Paper worth ₹ 200 will not be accepted on any account.



Total PAC—₹ 1,16,708

Date up to which the rates are to be remained firm —31-3-2022.

Item—Twin Loop Wire 14.3 mm (Black Colour)—19 Roll.

Office from which tender forms are available for sale—Superintendent of Government Presses, Government Central Press, Thiruvananthapuram.

Name and Designation of the officer to whom the tender are to be submitted—
The Director of Printing, Thiruvananthapuram.

Name of Office—Government Central Press Compound, Thiruvananthapuram.

GENERAL CONDITIONS

1. The rate quoted should be inclusive of all taxes, transportation, loading and unloading expenses f.o.r. Government Central Press, Thiruvananthapuram.
2. Samples should be supplied
3. The item should be supplied within 7 days on the receipt of confirmation.
4. The payment will be made only after satisfactory receipt and survey reports.
5. Bank details should be furnished in the Bill.
6. The rates should be valid upto 31-3-2022.
7. The Purchaser has the right to cancel the supply order at any time without assigning any reason.

Govt. Central Press,
Thiruvananthapuram.

(Sd.)
Superintendent.



Survey and Land Records Department**TENDER NOTICE**

No.DSLR/2038/2021-B6.

25th November 2021.

1. The documents may be downloaded from the website <https://etenders.kerala.gov.in/>
2. RFP shall be accompanied with Earnest Money (EMD) & a tender fee deposited through the e-payment system in e-procurement portal of the the Government of Kerala, [https:// etenders.kerala.gov.in/](https://etenders.kerala.gov.in/)
3. Application for this RFP supported by prescribed appendix shall be submitted through the e-precurement portal of the Government.
4. The bidders advised to keep visiting the website <https://etenders.kerala.gov.in/> from time to time (till the deadline for bid submission) for any updates in respect of the RFP document notice, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the RFP document complete in all respects including updates thereof, if any. An incomplete application may be liable for rejection.
5. The Director, Department of Survey and Lnad Records reserves the right to verify the particulars furnished by the bidder independently.
6. The Director, Department of Survey and Lnad Records reserves the right to reject any or all prospective applicant without assigning any reason and to restrict the list of pre-qualified firmd to any number deemed suitable.

| <i>Sl.No.</i> | <i>Description</i> | |
|---------------|--|--|
| (1) | (2) | |
| 1 | Mode of submission | Online through e-procurement portal of the Government of Kerala at https://etenders.kerala.gov.in |
| 2 | Type of propasal required | Prequalification, Technical & Financial |
| 3 | RFP download Start Date/Time | 24th November, 3 p. m. |
| 4 | RFP download End Date/Time | 15th December 3 p. m. |
| 5 | Last date for receipt of pre-bid queries | 1st December 3 p.m. |
| 6 | Date, time & venue of pre-bid meeting | 3rd December 3 p. m. at Survey Directorate. Vazhuthacadu, Thiruvananthapuram, Kerala- 695014 |
| 7 | Last date for submission of proposal | 15th December, 3 p. m. |



| (1) | (2) |
|-----|---|
| 8 | Date of opening of Technical proposal |
| 9 | Proof of concept |
| 10 | Opening of Financial Bids. |
| 11 | Earnest Money Deposit |
| 12 | Tender Fee |
| 13 | Validity of the Proposal |
| 14 | Evaluation of the proposals & scoring criteria |
| 15 | Contact e-mail where queries/ correspondence |
| 15 | concerning this RFP is to be sent |
| 16 | Name & Address of issuer |
| | 21st December, 11 a.m. |
| | Will be informed after completing the pre-qualification evaluation. |
| | Will be informed after completing the technical evaluation. |
| | Rs. 25,00,000 (Twenty Five Lakhs Only) |
| | Rs. 25,000 +12% GST (Twenty Five thousand +12% GST) |
| | 180 days from the date of opening technical bid. |
| | As detailed in the RFP document. |
| | Pushpa, P. R. mail id: procurementds1r1@gmail.com |
| | Anilkumar, S. mail id. procurementds1r2@gmail.com |
| | The Director, Department of Survey and Land Records, Vazhuthacaud, Thiruvananthapuram, Kerala-695 014 Tele: 0471-2325266 Fax: 0471-2338210 Email-mail id. procurementds1r1@gmail.com procurementds1r2@gmail.com |

Office of the Director of
Survey and Land Records,
Thiruvananthapuram.

(Sd.)
Survey Director.



Technical Education Department

ദർഘാസ് ദീർഘിപ്പിക്കൽ പരസ്യം

നമ്പർ ഡി1/1259/2021.

2021 നവംബർ 16.

പാലാ സർക്കാർ പോളിടെക്നിക് കോളേജിലെ ഇൻസ്ട്രുമെന്റേഷൻ എഞ്ചിനീയറിംഗ് ഡിപ്പാർട്ട്മെന്റിൽ ഉപകരണങ്ങൾ വാങ്ങുന്നതിന് താൽപര്യമുള്ള കരാറുകാരിൽനിന്നും മുദ്രവെച്ച കവറുകളിൽ മത്സരസ്വഭാവമുള്ള ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ദർഘാസ് നമ്പർ—01/2021-2022.

ആകെ അടങ്കൽ തുക—₹ 2,32,000.

ദർഘാസ് വില:

അസ്സലിന്—₹ 500+GST@12.5%.

പകർപ്പിന്—₹ 300+GST@12.5%.

നിരതദ്രവ്യം—അടങ്കൽ തുകയുടെ 1%.

ദർഘാസ് വിൽക്കുന്ന അവസാന തീയതിയും സമയവും—14-12-2021, 3 മണി.

പൂരിപ്പിച്ച ദർഘാസ് സ്വീകരിക്കുന്ന അവസാന തീയതിയും സമയവും—17-12-2021, 12 മണി.

ദർഘാസ് തുറന്ന് പരിശോധിക്കുന്ന തീയതിയും സമയവും—17-12-2021, 3 മണി.

വിശദവിവരങ്ങൾ പ്രവൃത്തി സമയങ്ങളിൽ ഓഫീസിൽ നിന്നും അറിയാവുന്നതാണ്.

No. D/1259/2021.

16th November 2021.

Sealed tenders in the prescribed form are invited for the supply of Equipments for instrumentation Engineering Departments as per list attached for Govt. Polytechnic College, Pala at a total cost of ₹ 2,32,000

Tender No—01/2021-2022.

Last date & time of receipt—17-12-2021, 12 p.m.

Date of opening—17-12-2021, 3 p.m.

Date up to which tender form will be sold—14-12-2021, 3 p.m.

Cost of original tender form—₹ 500+GST@12.5%.

Cost of duplicate tender form—₹ 300+GST@12.5%.

EMD—1% of the total estimate value.

Mode of remittance of the cost of tender form—In cash remittance in the college office or by money order. Those who want tender form by post should remit in additional Amount of ₹ 50 for each tender as postal charge.

An agreement in Kerala Stamp paper worth ₹ 220 is to accompany the tender. Tender forms can be had from Principal Govt. Polytechnic College, Pala. More details can be obtained from the office on working time.



CONSUMABLES

| <i>Sl No.</i> | <i>Articles with full description and accurate specification etc.</i> | <i>Quantity required</i> |
|-------------------|---|------------------------------|
| 1 | Sling psychrometer | 1 |
| 2 | Wet and Dry bulb thermometer | 2 |
| 3 | BP Apparatus (Sphygmomanometer) | 1 |
| 4 | ECG Machine | 1 |
| 5 | EMG Machine | 1 |
| 6 | EEG Machine | 1 |
| 7 | Colorimeter | 1 |

Govt. Polytechnic College,
Pala.

(Sd.)
Principal



ലഘു ദർഘാസ് പരസ്യം

[നമ്പർ 10/2021-22]

നമ്പർ ഡി1/4144/2021/ജി.ഇസി.എസ്.കെ.പി.

2021 നവംബർ 17.

ശ്രീകൃഷ്ണപുരം സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജിലെ ഇലക്ട്രോണിക്സ് ആന്റ് കമ്പ്യൂട്ടറേഷൻ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ ഡിജിറ്റൽ ലാബിലേക്കായി മൈക്രോകൺട്രോളർ ട്രെയിനർ കിറ്റ്, ഡിജിറ്റൽ ഐ.സി. ട്രെയിനർ കിറ്റ് എന്നീ ഉപകരണങ്ങൾ വിതരണം ചെയ്യാൻ താൽപര്യമുള്ള സ്ഥാപനങ്ങളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

പുരിപ്പിച്ച ദർഘാസുകൾ സമർപ്പിക്കുന്ന കവറിനുമുകളിൽ ഇലക്ട്രോണിക്സ് ആന്റ് കമ്പ്യൂട്ടറേഷൻ എഞ്ചിനീയറിംഗ് വിഭാഗത്തിലെ ഡിജിറ്റൽ ലാബിലേക്കായി മൈക്രോകൺട്രോളർ ട്രെയിനർ കിറ്റ്, ഡിജിറ്റൽ ഐ.സി. ട്രെയിനർ കിറ്റ് എന്നീ ഉപകരണങ്ങൾ വാങ്ങൽ എന്ന് പ്രത്യേകം രേഖപ്പെടുത്തി പ്രിൻസിപ്പാൾ, സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജ്, മണ്ണമ്പറ്റ (പി.ഒ.), ശ്രീകൃഷ്ണപുരം, പാലക്കാട്-678 633 എന്ന മേൽവിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. പുരിപ്പിച്ച ദർഘാസുകൾ സമർപ്പിക്കേണ്ട അവസാന തീയതി 17-12-2021, 2 മണി. അവസാന തീയതിയും സമയവും കഴിഞ്ഞു ലഭിക്കുന്ന ദർഘാസുകൾ യാതൊരു കാരണവശാലും സ്വീകരിക്കുന്നതല്ല.

വില മാറ്റമില്ലാതെ തുടരേണ്ട കാലാവധി 31-3-2022 വരെ. ദർഘാസുകൾ തുറക്കുന്ന സമയം— 18-12-2021, 3 മണി. ദർഘാസുകൾ തുറക്കുന്ന സമയത്ത് ദർഘാസ് സമർപ്പിച്ച ആൾക്കോ അവർ നിയോഗിക്കുന്ന വ്യക്തികൾക്കോ ഹാജരാകാവുന്നതാണ്. ദർഘാസുകൾ ആവശ്യമുള്ളവർ ₹ 672 അടച്ച് ഈ ഓഫീസിൽ നിന്നും നേരിട്ട് വാങ്ങാവുന്നതാണ്. ദർഘാസുകൾ തപാലിൽ ആവശ്യമുള്ളവർ ₹ 722 മണിയോർഡർ ആയി പ്രിൻസിപ്പാൾ, സർക്കാർ എഞ്ചിനീയറിംഗ് കോളേജ്, മണ്ണമ്പറ്റ (പി.ഒ.), ശ്രീകൃഷ്ണപുരം, പാലക്കാട്-678 633 എന്ന മേൽ വിലാസത്തിൽ അയയ്ക്കേണ്ടതാണ്. ദർഘാസ് പ്രമാണത്തിന്റെ വില യാതൊരു കാരണവശാലും തിരികെ നൽകുന്നതല്ല. ദർഘാസ് പ്രമാണം കൈമാറ്റം ചെയ്യുവാൻ പാടില്ലാത്തതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലപന 17-12-2021, 1 മണിക്ക് അവസാനിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വിലയായി ചെക്കുകൾ, പോസ്റ്റൽ ഓർഡർ എന്നിവയും വി.പി.പി. ആയും സ്വീകരിക്കുന്നതല്ല. ഡ്യൂപ്ലിക്കേറ്റ് ദർഘാസ് ആവശ്യമുള്ളവർ ₹ 336 കൂടി ഈ ഓഫീസിൽ അയയ്ക്കേണ്ടതാണ്. ടെണ്ടർ ഫോറത്തോടൊപ്പം ₹ 220 കേരള മുദ്രപത്രത്തിൽ തയ്യാറാക്കിയിട്ടുള്ള പ്രാഥമിക സമ്മതപത്രവും, ബാങ്ക് ഡ്രാഫ്റ്റ് ആയി ₹ 2,950 നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്.

നിബന്ധനകൾ

1. ടെണ്ടർ ഫോറത്തോടൊപ്പം ₹ 220 രൂപയുടെ കേരള മുദ്രപത്രത്തിൽ തയ്യാറാക്കിയിട്ടുള്ള പ്രാഥമിക സമ്മതപത്രവും, ബാങ്ക് ഡ്രാഫ്റ്റ് ആയി ₹ 2,950 നിരതദ്രവ്യവും സമർപ്പിക്കേണ്ടതാണ്.

2. മറ്റ് വിവരങ്ങൾക്ക് ഓഫീസുമായി ബന്ധപ്പെടുക (ഫോൺ : 0466-2260565).

[No. 10/2021-22]

No. D1/4144/2021/GECSKP.

17th November 2021.

Sealed tenders are invited for the supply of following stores: "Purchase of Microcontrollers kits and Trainer kits for Digital Electronics lab in Electronics & Communication Engineering Department" The envelopes containing the tender should bear the superscription "Tender for purchase of Microcontroller kits & Trainer kits for Digital Electronics lab in Electronics & Communication Engineering Department" and should be addressed to The Principal, Government Engineering College, Sreekrishnapuram, Mannampatta P. O., Palakkad, Kerala-678 633. Last date for receipt of tenders will be 17-12-2021, 2 p.m. Late tenders will not be accepted.

The tenders will be opened at 18-12-2021, 3 p.m. in the presence of such of the tenderers or their authorized representatives who may be present at that time.

Intending tenderers may on application to the Principal, Government Engineering College, Sreekrishnapuram, Mannampatta P. O., Palakkad, Kerala-678 633 (Ph.0466-2260 350/565) obtain the requisite tender forms on which tenders should be submitted. Application for the tender forms should be accompanied by a cash remittance of ₹ 672 (postal charge ₹ 50) which is the price fixed for a form/set of form and which is not refundable under any circumstances. The tender forms are not transferable. Sale of tender forms will be closed at 1 p. m. on 17-12-2021. Cheques, Postage Stamps, etc., will not be accepted towards the cost of tender forms, nor will the forms be sent per V.P.P. Duplicate tender forms, if required will be issued at ₹ 336 per copy.



EMD for an amount of ₹ 2,950 should be submitted along with the tender by way of D.D drawn from a Nationalized Bank in favour of Principal, Govt.Engg.College, Sreekrishnapuram. Preliminary Agreement prepared in Kerala Stamp paper ₹ 220 should be submitted along with the tender form.

SPECIFICATION OF THE ITEMS

| <i>Sl. No.</i> | <i>Items with Specification</i> | <i>Quantity</i> |
|----------------|--|-----------------|
| 1 | 8051 M51-02 Microcontroller trainer kit 8 bit Microcontroller using 8051/89C51/89C52 operating at 11.0592MHz (Preferrably 89C52), 16K bytes of monitor EPROM, 32K bytes of user RAM expandable upto 64K with battery back up, 48 I/O lines, 16 bit programmable timer/counter using 8253, 20*2/40*2/20*4 Backlite LCD Display with 101 ASCII keyboard, On-board single line Assembler and Disassembler, In-built power supply of +5V/1.5A and +/- 12V/250 mA, All address, Data, Control lines & Port lines to be available on 40 pins and 26 pins FPC connector, Power cord, Keyboard connector, User manual. | 10 Nos. |
| 2 | Digital IC trainer kit 10 logic input switches providing high/low output, 10 logic output indicators with lamp drivers, 4 seven segment LED display with decoder drivers and provision for BOD input, Fixed X-tal clock generator output 1Hz, 10Hz, 100Hz, 1KHz, 10KHz, 1MHz. Manual control of pulse using two push button switch, Short circuit and overload protection. The fixed output are +5V/1A, ±15V each at 500 mA and variable outputs of 0V to ±15V, 500mA. Input Supply 230 V ±10%, 50Hz Ac. Fixed O/P-Spring type sockets for I/P, O/P signals. Variable O/P-logic probe facility. | 15 Nos. |

1. Warranty : Minimum 1 year warranty.
2. Delivery at Govt. Engg.College, Sreekrishnapuram.
3. Period for delivery and installation shall be specified.

Govt. Engineering College,
Sreekrishnapuram, Palakkad.

(Sd.)
Principal

